

2022 2/3

NOAS®





# LED SLIM PANELS

**SLIM PANEL**  
YL10-0300

**3W**  
2,15 \$

6500K 4000K 3200K



**IP20** **220 V**

**270 LÜMEN** **SMD**

**100 Ad.** 49,5x34,5x21

**7,3 kg**

Ø 83mm  
17mm  
Ø 67mm  
Delik çapı



**SLIM PANEL**  
YL10-0600

**6W**  
2,50 \$

6500K 4000K 3200K

**IP20** **220 V**

**540 LÜMEN** **SMD**

**100 Ad.** 65x29x28

**10,8 kg**

Ø 118mm  
17mm  
Ø 105mm  
Delik çapı



**SLIM PANEL**  
YL10-0900

**9W**  
3,37 \$

6500K 4000K 3200K

**IP20** **220 V**

**810 LÜMEN** **SMD**

**60 Ad.** 48,5x23,5x37

**11,3 kg**

Ø 146mm  
17mm  
Ø 132mm  
Delik çapı



**SLIM PANEL**  
YL10-1200

**12W**  
4,00 \$

6500K 4000K 3200K


**IP20** **220 V**

**1080 LÜMEN** **SMD**

**40 Ad.** 42,5x36,5x23

**9,7 kg**

Ø 165mm  
17mm  
Ø 153mm  
Delik çapı



**SLIM PANEL**  
YL10-1500

**15W**  
4,45 \$

6500K 4000K 3200K

**IP20** **220 V**

**1350 LÜMEN** **SMD**

**40 Ad.** 40,5x38x23

**12 kg**

Ø 187mm  
17mm  
Ø 174mm  
Delik çapı



**SLIM PANEL**  
YL10-1800

**18W**  
5,12 \$

6500K 4000K 3200K

**IP20** **220 V**

**1620 LÜMEN** **SMD**

**40 Ad.** 46x42x26,5

**15,7 kg**

Ø 221mm  
17mm  
Ø 205mm  
Delik çapı



# LED SLIM PANELS

( BLACK CASE )

**SLIM PANEL ( BLACK )**  
YL10-0300-S

**3W**  
2,95 \$

6500K 4000K 3200K

**IP20** **220 V**

**270 LÜMEN** **SMD**

**100 Ad.** 49,5x34,5x21

**7,3 kg**

Ø 83mm  
17mm  
Ø 67mm  
Delik çapı

**NEW**

**SLIM PANEL ( BLACK )**  
YL10-0600-S

**6W**  
3,20 \$

6500K 4000K 3200K

**IP20** **220 V**

**540 LÜMEN** **SMD**

**100 Ad.** 65x29x28

**10,8 kg**

Ø 118mm  
17mm  
Ø 105mm  
Delik çapı

**NEW**

**SLIM PANEL ( BLACK )**  
YL10-0900-S

**9W**  
4,25 \$

6500K 4000K 3200K

**IP20** **220 V**

**810 LÜMEN** **SMD**

**60 Ad.** 48,5x23,5x37

**11,3 kg**

Ø 146mm  
17mm  
Ø 132mm  
Delik çapı

**NEW**

**SLIM PANEL ( BLACK )**  
YL10-1200-S

**12W**  
4,90 \$

6500K 4000K 3200K

**IP20** **220 V**

**1080 LÜMEN** **SMD**

**40 Ad.** 42,5x36,5x23

**9,7 kg**

Ø 165mm  
17mm  
Ø 153mm  
Delik çapı

**NEW**

**SLIM PANEL ( BLACK )**  
YL10-1500-S

**15W**  
5,55 \$

6500K 4000K 3200K

**IP20** **220 V**

**1350 LÜMEN** **SMD**

**40 Ad.** 40,5x38x23

**12 kg**

Ø 187mm  
17mm  
Ø 174mm  
Delik çapı

**NEW**

**SLIM PANEL ( BLACK )**  
YL10-1800-S

**18W**  
6,15 \$

6500K 4000K 3200K

**IP20** **220 V**

**1620 LÜMEN** **SMD**

**40 Ad.** 46x42x26,5

**15,7 kg**

Ø 221mm  
17mm  
Ø 205mm  
Delik çapı

**NEW**

# LED SURFACE MOUNTED PANELS

**IP20** **220 V**

**1620 LÜMEN** **SMD**

20 Ad. 45x35,5x23,5

9,3 kg

Ø 210 mm  
28 mm

**SURFACE MOUNTED ROUND PANEL**  
YL14-1800

18W

6,15 \$

6500K 3200K

**IP20** **220 V**

**2160 LÜMEN** **SMD**

20 Ad. 59,5x34,5x30,5

11,6 kg

Ø 285 mm  
28 mm

**SURFACE MOUNTED ROUND PANEL**  
YL14-2400-A

24W

10,25 \$

6500K 3200K

**IP20** **220 V**

**1620 LÜMEN** **SMD**

20 Ad. 45x36x23,5

11,2 kg

210 mm  
128 mm

**SURFACE MOUNTED SQUARE PANEL**  
YL15-1800

18W

7,30 \$

6500K 3200K

**IP20** **220 V**

**2160 LÜMEN** **SMD**

20 Ad. 61,5x30x35

14 kg

285 mm  
128 mm

**SURFACE MOUNTED SQUARE PANEL**  
YL15-2400

24W

11,70 \$

6500K 3200K

**IP20** **220 V**

**1620 LÜMEN** **SMD**

20 Ad. 45x35,5x23,5

9,3 kg

Ø 210 mm  
28 mm

**SURFACE MOUNTED ROUND PANEL (BLACK)**  
YL14-1800-S

18W

7,30 \$

6500K 3200K

**IP20** **220 V**

**2160 LÜMEN** **SMD**

20 Ad. 59,5x34,5x30,5

11,6 kg

Ø 285 mm  
28 mm

**SURFACE MOUNTED ROUND PANEL (BLACK)**  
YL14-2400-S

24W

11,70 \$

6500K 3200K

**IP20** **220 V**

**1620 LÜMEN** **SMD**

20 Ad. 45x36x23,5

11,2 kg

210 mm  
128 mm

**SURFACE MOUNTED SQUARE PANEL (BLACK)**  
YL15-1800-S

18W

8,50 \$

6500K 3200K

**IP20** **220 V**

**2160 LÜMEN** **SMD**

20 Ad. 61,5x30x35

14 kg

285 mm  
128 mm

**SURFACE MOUNTED SQUARE PANEL (BLACK)**  
YL15-2400-S

24W



13,25 \$

6500K 3200K





# LED PLUS +ADJUSTABLE PANELS






## LED ADJUSTABLE PANELS






(ADJUSTABLE HOLE DIAMETER)






<b>IP20</b>	<b>220 V</b>	<b>PLUS+ ADJUSTABLE PANEL</b> YL12-1000   	<b>10W</b>
<b>1200 LÜMEN</b>	<b>SMD</b>		<b>3,80 \$</b>
<b>60 Ad.</b>	<b>50x33,5x24</b>		6500K 3200K
<b>5,6kg</b>			
	<b>Ø 50-70 mm</b> Delik Çapı		
	<b>Ø 100 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>PLUS+ ADJUSTABLE PANEL</b> YL12-1800   	<b>18W</b>
<b>2160 LÜMEN</b>	<b>SMD</b>		<b>4,40 \$</b>
<b>40 Ad.</b>	<b>54x26x28</b>		6500K 3200K
<b>4,9kg</b>			
	<b>Ø 50-88 mm</b> Delik Çapı		
	<b>Ø 120 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>PLUS+ ADJUSTABLE PANEL</b> YL12-2400   	<b>24W</b>
<b>2880 LÜMEN</b>	<b>SMD</b>		<b>6,45 \$</b>
<b>20 Ad.</b>	<b>37x26x38</b>		6500K 3200K
<b>4,5kg</b>			
	<b>Ø 50-135 mm</b> Delik Çapı		
	<b>Ø 170 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>PLUS+ ADJUSTABLE PANEL</b> YL12-3600   	<b>36W</b>
<b>4320 LÜMEN</b>	<b>SMD</b>		<b>10,25 \$</b>
<b>20 Ad.</b>	<b>47x26x48</b>		6500K 3200K
<b>7,4kg</b>			
	<b>Ø 50-185 mm</b> Delik Çapı		
	<b>Ø 220 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>ADJUSTABLE PANEL</b> YL10-0600-A   	<b>6W</b>
<b>540 LÜMEN</b>	<b>SMD</b>		<b>2,95 \$</b>
<b>100 Ad.</b>	<b>55x27,5x28,5</b>		6500K 3200K
<b>10,7 kg</b>			
	<b>Ø 45-70 mm</b> Delik Çapı		
	<b>Ø 100 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>ADJUSTABLE PANEL</b> YL10-0900-A   	<b>9W</b>
<b>810 LÜMEN</b>	<b>SMD</b>		<b>3,50 \$</b>
<b>60 Ad.</b>	<b>38,5x27x31</b>		6500K 3200K
<b>8,5 kg</b>			
	<b>Ø 47-85 mm</b> Delik Çapı		
	<b>Ø 118 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>ADJUSTABLE PANEL</b> YL10-1500-A   	<b>15W</b>
<b>1350 LÜMEN</b>	<b>SMD</b>		<b>5,10 \$</b>
<b>40 Ad.</b>	<b>47,5x39x23</b>		6500K 3200K
<b>11,6kg</b>			
	<b>Ø 47-135 mm</b> Delik Çapı		
	<b>Ø 175 mm</b>		

<b>IP20</b>	<b>220 V</b>	<b>ADJUSTABLE PANEL</b> YL10-2000-A   	<b>20W</b>
<b>1800 LÜMEN</b>	<b>SMD</b>		<b>7,30 \$</b>
<b>40 Ad.</b>	<b>49x42,5x26,5</b>		6500K 3200K
<b>11,5kg</b>			
	<b>Ø 47-180 mm</b> Delik Çapı		
	<b>Ø 230 mm</b>		







# LED DIAMOND PLUS+ ADJUSTABLE PANELS





(ADJUSTABLE HOLE DIAMETER)





## LED SQUARE SLIM PANELS





<b>IP20</b>	<b>220 V</b>	<b>DIAMOND PLUS+ ADJUSTABLE PANEL</b> YL16-0800	<b>8W</b>
<b>880 LÜMEN</b>	<b>SMD</b>		<b>7,00 \$</b>
<b>40 Ad.</b>	<b>39,5x22,5x24</b>		6500K 3200K
<b>4,9 kg</b>			
<b>Ø 91 mm</b>	<b>Ø 70-80 mm Delik Çapı</b>		
	<b>HIGH LUMEN</b>		





<b>IP20</b>	<b>220 V</b>	<b>DIAMOND PLUS+ ADJUSTABLE PANEL</b> YL16-1800	<b>18W</b>
<b>1980 LÜMEN</b>	<b>SMD</b>		<b>10,50 \$</b>
<b>20 Ad.</b>	<b>26,5x20,5x27,5</b>		6500K 3200K
<b>3,5 kg</b>			
<b>Ø 122 mm</b>	<b>Ø 70-100 mm Delik Çapı</b>		
	<b>HIGH LUMEN</b>		

<b>IP20</b>	<b>220 V</b>	<b>DIAMOND PLUS+ ADJUSTABLE PANEL</b> YL16-2400	<b>24W</b>
<b>2640 LÜMEN</b>	<b>SMD</b>		<b>15,00 \$</b>
<b>20 Ad.</b>	<b>37,5x20,5x38,5</b>		6500K 3200K
<b>6,4 kg</b>			
<b>Ø 175 mm</b>	<b>Ø 70-150 mm Delik Çapı</b>		
	<b>HIGH LUMEN</b>		

<b>IP20</b>	<b>220 V</b>	<b>DIAMOND PLUS+ ADJUSTABLE PANEL</b> YL16-3600	<b>36W</b>
<b>3960 LÜMEN</b>	<b>SMD</b>		<b>22,00 \$</b>
<b>20 Ad.</b>	<b>47,5x39,5x25,5</b>		6500K 3200K
<b>9,2 kg</b>			
<b>Ø 225 mm</b>	<b>Ø 70-210 mm Delik Çapı</b>		
	<b>HIGH LUMEN</b>		

<b>IP20</b>	<b>220 V</b>	<b>SQUARE SLIM PANEL</b> YL13-0600	<b>6W</b>
<b>540 LÜMEN</b>	<b>SMD</b>		<b>3,80 \$</b>
<b>100 Ad.</b>	<b>71,5x26,5x32</b>		6500K 3200K
<b>16 kg</b>			
<b>179 mm</b>	<b>Ø 109 mm Delik Çapı</b>		
			

<b>IP20</b>	<b>220 V</b>	<b>SQUARE SLIM PANEL</b> YL13-1200	<b>12W</b>
<b>1080 LÜMEN</b>	<b>SMD</b>		<b>5,00 \$</b>
<b>40 Ad.</b>	<b>40,5x30,5x39</b>		6500K 3200K
<b>11,8 kg</b>			
<b>170 mm</b>	<b>Ø 150 mm Delik Çapı</b>		
			

<b>IP20</b>	<b>220 V</b>	<b>SQUARE SLIM PANEL</b> YL13-1800	<b>18W</b>
<b>1620 LÜMEN</b>	<b>SMD</b>		<b>5,85 \$</b>
<b>20 Ad.</b>	<b>47x30x28</b>		6500K 3200K
<b>9,7 kg</b>			
<b>220 mm</b>	<b>Ø 205 mm Delik Çapı</b>		
			

<b>IP20</b>	<b>220 V</b>	<b>SQUARE SLIM PANEL</b> YL13-2400	<b>24W</b>
<b>2160 LÜMEN</b>	<b>SMD</b>		<b>9,50 \$</b>
<b>20 Ad.</b>	<b>61,5x30x35</b>		6500K 3200K
<b>11,9 kg</b>			
<b>292 mm</b>	<b>Ø 275 mm Delik Çapı</b>		
			

# LED 3 FUNCTION PANELS

**BLUE + WHITE PANEL**  
YL11-0300

**3+3W**  
4,40 \$

6500K BLUE



IP20 220 V

270 LÜMEN SMD

100 Ad. 57,5x33,5x31

10,7 kg

Ø 105 mm  
Ø 68 mm Delik Çapı

**BLUE + WHITE PANEL**  
YL11-0600

**6+3W**  
6,45 \$

6500K BLUE


IP20 220 V

540 LÜMEN SMD

100 Ad. 77,3x30x38,5

17,4 kg

Ø 145 mm  
Ø 105 mm Delik Çapı

**BLUE + WHITE PANEL**  
YL11-1200

**12+4W**  
9,50 \$

6500K BLUE



IP20 220 V

1080 LÜMEN SMD

40 Ad. 42,5x33x43

13,2 kg

Ø 195 mm  
Ø 155 mm Delik Çapı

**BLUE + WHITE PANEL**  
YL11-1800

**18+6W**  
10,50 \$

6500K BLUE



IP20 220 V

1620 LÜMEN SMD

40 Ad. 62x53x27,5

21 kg

Ø 245 mm  
Ø 205 mm Delik Çapı

**BLUE + WHITE PANEL**  
YL14-1800-R

**18+6W**  
11,40 \$

6500K BLUE

IP20 220 V

1650 LÜMEN SMD

20 Ad. 52x40x27,5

10,5 kg

Ø 245 mm  
30 mm




**BLUE + WHITE PANEL**  
YL15-1800-R

**18+6W**  
12,90 \$

6500K BLUE

IP20 220 V

1620 LÜMEN SMD

20 Ad. 52x40x27,5

13,4 kg

245 mm  
130 mm




# LED BACKLIGHT VE SLIM PANELS

**IP20**

**60x60 BACKLIGHT**  
YL18-5400

40W  
11,50 \$

6500K 4000K 3200K

220 V

3600 LÜMEN

SMD

10 Ad.

61,5x36x61,5

11,8 kg

595 mm  
33 mm

EMERGENCY  
KIT  
30,00 \$





**IP20**

**60x60 SLIM**  
YL18-5400-S

40W  
21,75 \$

6500K 3200K

220 V

3600 LÜMEN

SMD

10 Ad.

63,5x17,5x67

18,7 kg

595 mm  
10 mm




**IP20**

**60x60 BACKLIGHT**  
OSRAM ENEC CERTIFIED  
YL18-5400-O

40W  
30,00 \$

6500K 4000K 3200K

220 V

3600 LÜMEN

SMD

10 Ad.

61,5x36x61,5

12,6 kg

595 mm  
33 mm

OSRAM DRIVER





**IP20**

**60x60 BACKLIGHT**  
LENSED SUPER SLIM  
YL18-5000

50W  
35,00 \$

6500K 3200K

220 V

5000 LÜMEN

SMD

10 Ad.

62x29x61,5

12,5 kg

595 mm  
27 mm

YÜKSEK LÜMEN




# LED BACKLIGHT PANELS

**BACKLIGHT PANEL**  
YL10-0600-B

**6W**  
2,50 \$

6500K 3200K

**IP20** 220 V

540 LÜMEN

SMD

100 Ad. 58,5x36,5x25

8,1 kg

IC Technology

Ø 108 mm  
25 mm

Ø 77 mm  
Delik Çapı



**30x30 CLIP-IN BACKLIGHT**  
YL15-2200

**22W**  
7,35 \$

6500K 3200K

**IP20** 220 V


1980 LÜMEN

SMD

30 Ad. 63x61,5x32,5

16,5 kg

300 mm



**BACKLIGHT PANEL**  
YL10-1200-B

**12W**  
4,10 \$

6500K 3200K

**IP20** 220 V

1080 LÜMEN

SMD


60 Ad. 46,5x37x32,5

9,7 kg

IC Technology

Ø 146 mm  
25 mm

Ø 108 mm  
Delik Çapı



**30x60 BACKLIGHT**  
YL17-2400

**24W**  
9,50 \$

6500K 3200K

**IP20** 220 V


2160 LÜMEN

SMD

10 Ad. 61x35x31,5

7 kg

595 mm



**BACKLIGHT PANEL**  
YL10-2400-B

**24W**  
7,30 \$

6500K 3200K

**IP20** 220 V

2160 LÜMEN

SMD

20 Ad. 47,5x36,5x25,5

7,6 kg

IC Technology

Ø 224 mm  
25 mm

Ø 190 mm  
Delik Çapı



**30x120 BACKLIGHT**  
YL19-4800

**48W**  
18,30 \$

6500K 3200K

**IP20** 220 V


4320 LÜMEN

SMD

8 Ad. 121x29,5x31,5

12,4 kg

1195 mm





# LED PANEL CASE AND APPARATUS

**60x60 SURFACE MOUNTED CASE ( DISSAMBLED )**  
YL60-6000

4,00 \$

60 Ad.

600 mm

600 mm

33 mm

**60x60 SURFACE MOUNTED CASE ( SOLID )**  
YL60-6000-Y

9,35 \$

5 Ad.

600 mm

600 mm

33 mm

**60x60 CLIP-IN CASE**  
YL60-6001

4,25 \$

22 Ad.

600 mm

600 mm

33 mm

**30x60 SURFACE MOUNTED CASE**  
YL60-3000

4,00 \$

40 Ad.

600 mm

300 mm

33 mm

**30x120 SURFACE MOUNTED CASE**  
YL60-1201

7,75 \$

12 Ad.

1200 mm

300 mm

33 mm

**PANEL SPRING APPARATUS**  
YL61-6001

1,90 \$

400 Ad.

**PLUS+ SURFACE MOUNTED CASE**  
YL60-1800

18W

3,00 \$

40 Ad.

Ø 210 mm

33 mm

**PLUS+ SURFACE MOUNTED CASE**  
YL60-2400

24W

3,00 \$

40 Ad.

Ø 258 mm

33 mm

# SENSORS · TIME CONTROLLER CONTACTOR

**IP20** **MINI SENSOR 100° ( 10A )**  
YL04-7001


**800W**  
7,30 \$

**220 V**

100 Ad.

4,6 kg

37,5x27x26



**IP20** **RADAR SENSOR ( 7A )**  
YL04-7102

**1200W**  
9,35 \$

**220 V**

50 Ad.

3,5 kg

25x23x17



**IP20** **PHOTOCELL ( 10A )**  
YL04-8001

**1200W**  
4,25 \$

**220 V**

100 Ad.

13,8 kg

37x37x39



**IP20** **RECESSED MOUNTED  
MOTION  
SENSOR  
360° ( 10A )**  
YL04-7002

**1200W**  
7,30 \$

**220 V**

50 Ad.

6 kg

45x42x18



**IP20** **SURFACE MOUNTED  
MOTION  
SENSOR 180°  
( 10A )**  
YL04-7181

**3500W**  
7,60 \$

**220 V**

50 Ad.

11,5 kg

43x31x36



**IP20** **SURFACE MOUNTED  
MOTION  
SENSOR 360°  
( 10A )**  
YL04-7361

**1200W**  
8,10 \$

**220 V**

50 Ad.

9,7 kg

62,5x36x26



**IP20** **ULTRA SLIM  
SURFACE MOUNTED  
MOTION  
SENSOR 360°  
( 16A )**  
YL04-7003

**2000W**  
10,50 \$

**220 V**

50 Ad.

7,8 kg

62x18,5x26,5

6-8 METER



**IP20** **SILENCE LIGHTING  
CONTACTOR  
( 25A )**  
YL04-9000

**6,30 \$**

**220 V**

120 Ad.

13 kg

40x32,5x27,5

**PROGRAMMABLE**

**YENİ**



**IP20** **MECHANIC  
TIME  
CONTROLLER  
( 16A )**  
YL04-7100

**3500W**  
6,90 \$


**220 V**

50 Ad.

9,6 kg

40x31,5x65

**PROGRAMMABLE**



**IP20** **DIGITAL  
TIME  
CONTROLLER  
( 16A )**  
YL04-7110

**3600W**  
11,70 \$

**220 V**

50 Ad.

10,5 kg

39x30x54

**PROGRAMMABLE**



**IP20** **W AUTOMAT  
TIME  
CONTROLLER  
( 16A )**  
YL04-7101

**3500W**  
11,50 \$


**220 V**

100 Ad.

9 kg

40x23x23,5

**PROGRAMMABLE**



# LED SPOTS

**MERCAN ( WHITE )**  
YL28-0500

**5W**  
3,95 \$

IP20 220 V

450 LÜMEN COB

200 Ad. 55,5x48,5x40,5

18 kg

Ø 82 mm  
Ø 67 mm  
Delik Çapı

6500K 3200K




**MERCAN ( CHROME )**  
YL28-0502

**5W**  
3,95 \$

IP20 220 V

450 LÜMEN COB

200 Ad. 55,5x48,5x40,5

18 kg

Ø 82 mm  
Ø 67 mm  
Delik Çapı

6500K 3200K




**WHITE + SILVER**  
YL38-0511

**5W**  
1,38 \$

IP20 220 V

450 LÜMEN SMD

200 Ad. 51x39x42,5

8,8 kg

IC Technology

Ø 85 mm  
Ø 60 mm  
Delik Çapı

6500K 3200K

3 FONKSİYON




**WHITE + GOLD**  
YL38-0521

**5W**  
1,38 \$

IP20 220 V

450 LÜMEN SMD

200 Ad. 51x39x42,5

8,8 kg

IC Technology

Ø 85 mm  
Ø 60 mm  
Delik Çapı

6500K 3200K

3 FONKSİYON




**BLACK + SILVER**  
YL38-0531

**5W**  
1,38 \$

IP20 220 V

450 LÜMEN SMD

200 Ad. 51x39x42,5

8,8 kg

IC Technology

Ø 85 mm  
Ø 60 mm  
Delik Çapı

6500K 3200K

3 FONKSİYON




**TOROS ( WHITE )**  
YL28-1511

**5W**  
2,65 \$

IP20 220 V

450 LÜMEN COB

200 Ad. 51x43,5x40,5

15 kg

IC Technology

Ø 85 mm  
Ø 73 mm  
Delik Çapı

6500K 3200K




**ILGAZ ( WHITE )**  
YL28-2511

**5W**  
2,35 \$

IP20 220 V

450 LÜMEN SMD

200 Ad. 51x43,5x40,5

14,2 kg

IC Technology

Ø 85 mm  
Ø 72 mm  
Delik Çapı

6500K 3200K




**NEMRUT ( SATIN )**  
YL28-2501

**5W**  
3,80 \$

IP20 220 V

450 LÜMEN SMD

200 Ad. 51x43,5x40,5

14,2 kg

IC Technology

Ø 85 mm  
Ø 69 mm  
Delik Çapı

6500K 3200K




# BULL'S EYE - YILDIZ SPOT - MOBİL SPOT

**BULL'S EYE (SATEN)**  
YL94-0101

1W  
3,10 \$

IP20 220 V

90 LÜMEN


POWER LED

200 Ad. 52x27,5x26

6,2 kg

Ø 55 mm  
Ø 45 mm Delik Çapı  
33 mm

6500K 3200K  
MAVİ KIRMIZI  
AMBER



**BULL'S EYE (BLACK)**  
YL94-0201

1W  
3,10 \$

IP20 220 V

90 LÜMEN

POWER LED

200 Ad. 52x27,5x26

6,2 kg

Ø 55 mm  
Ø 45 mm Delik Çapı  
33 mm

6500K 3200K



**MOBİL SPOT**  
YL93-0201

2W  
2,80 \$

IP20 220 V

180 LÜMEN

SMD

200 Ad. 37x29,5x31

9,2 kg

IC Technology

Ø 67 mm  
Ø 50 mm Delik Çapı  
21 mm

6500K 3200K MAVİ



**YILDIZ SPOT (BLACK)**  
YL94-2151

2W  
2,65 \$

IP20 220 V

180 LÜMEN

POWER LED

200 Ad. 52x27x26

6,8 kg

Ø 32 mm  
Ø 27 mm Delik Çapı  
20 mm

6500K 3200K



**YILDIZ SPOT (CHROME)**  
YL94-0151

2W  
2,65 \$

IP20 220 V

180 LÜMEN

POWER LED

200 Ad. 52x27x26

6,8 kg

Ø 32 mm  
Ø 27 mm Delik Çapı  
20 mm

6500K 3200K MAVİ



**YILDIZ SPOT (WHITE)**  
YL94-1151

2W  
2,65 \$

IP20 220 V

180 LÜMEN

POWER LED

200 Ad. 52x27x26

6,8 kg

Ø 32 mm  
Ø 27 mm Delik Çapı  
20 mm

6500K 3200K





# ALUMINUM DECORATIVE (EMPTY) CASES

**REN ( WHITE )**  
YL60-2111

1,70 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( BLACK )**  
YL60-2020

1,70 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( WHITE - BLACK )**  
YL60-2110

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( BLACK - GOLD )**  
YL60-2022

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( WHITE - GOLD )**  
YL60-2112

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( BLACK - GOLDEN )**  
YL60-2024

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( WHITE - CHROME )**  
YL60-2113

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( BLACK - CHROME )**  
YL60-2023

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( WHITE - GOLDEN )**  
YL60-2114

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



**REN ( BLACK - UV CHROME )**  
YL60-2025

2,00 \$

GU10 MR16 7 kg

100 Ad. 52x22x42

Ø 85 mm  
Ø 75 mm  
Delik Çapı



# ALUMINUM DECORATIVE (EMPTY) CASES

**URAL ( WHITE )**  
YL60-3111

2,65 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( BLACK - MATTE BLACK )**  
YL60-3020

2,65 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( WHITE - BLACK )**  
YL60-3110

2,65 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( BLACK )**  
YL60-3025

2,65 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( WHITE - GOLD )**  
YL60-3112

2,95 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( BLACK - GOLD )**  
YL60-3022

2,95 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( WHITE - CHROME )**  
YL60-3113

3,20 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( BLACK - CHROME )**  
YL60-3023

3,20 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( WHITE - GOLDEN )**  
YL60-3114

3,20 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



**URAL ( BLACK - GOLDEN )**  
YL60-3024

3,20 \$

GU10 MR16 11 kg

100 Ad. 59,5x27x46

Ø 100 mm  
Ø 90 mm Delik Çapı



# ALUMINUM DECORATIVE (EMPTY) CASES

**AMAZON  
( BLACK )  
YL60-1660** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**8 kg**

Ø 100 mm

Ø 90 mm  
Delik Çapı

**AMAZON  
( BLACK )  
YL60-1360** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**13 kg**

100 mm

Ø 85 mm  
Delik Çapı

**AMAZON  
( DUAL BLACK )  
YL60-2360** **7,00 \$**

**GU10  
MR16**

**30 Ad.**

56x38x20,5

**13 kg**

185 mm

165 mm  
Delik Alanı

**AMAZON  
( WHITE - BLACK )  
YL60-1661** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**8 kg**

Ø 100 mm

Ø 90 mm  
Delik Çapı

**AMAZON  
( WHITE - BLACK )  
YL60-1361** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**13 kg**

100 mm

Ø 85 mm  
Delik Çapı

**AMAZON  
( DUAL WHITE - BLACK )  
YL60-2361** **7,00 \$**

**GU10  
MR16**

**30 Ad.**

56x38x20,5

**13 kg**

185 mm

165 mm  
Delik Alanı

**AMAZON  
( SATEN )  
YL60-1662** **4,85 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**8 kg**

Ø 100 mm

Ø 90 mm  
Delik Çapı

**AMAZON  
( SATEN )  
YL60-1362** **4,85 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**13 kg**

100 mm

Ø 85 mm  
Delik Çapı

**AMAZON  
( 2'Li SATEN )  
YL60-2362** **9,95 \$**

**GU10  
MR16**

**30 Ad.**

56x38x20,5

**13 kg**

185 mm

165 mm  
Delik Alanı

**AMAZON  
( WHITE )  
YL60-1663** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**8 kg**

Ø 100 mm

Ø 90 mm  
Delik Çapı

**AMAZON  
( WHITE )  
YL60-1363** **3,45 \$**

**GU10  
MR16**

**50 Ad.**

61,5x26x28,5

**13 kg**

100 mm

Ø 85 mm  
Delik Çapı

**AMAZON  
( DUAL WHITE )  
YL60-2363** **7,00 \$**

**GU10  
MR16**

**30 Ad.**

56x38x20,5

**13 kg**

185 mm

165 mm  
Delik Alanı



# ALUMINUM DECORATIVE (EMPTY) CASES

**NİL ( BLACK )**  
YL60-1910

2,15 \$

GU10 MR16  
100 Ad.  
57x53,5x23  
14 kg  
Ø 92 mm  
Ø 85 mm  
Delik Çapı

**NİL ( WHITE )**  
YL60-1911

2,15 \$

GU10 MR16  
100 Ad.  
57x53,5x23  
14 kg  
Ø 92 mm  
Ø 85 mm  
Delik Çapı

**NİL ( BLACK )**  
YL60-2010

2,15 \$

GU10 MR16  
100 Ad.  
57x53,5x23  
15,3 kg  
94 mm  
Ø 85 mm  
Delik Çapı

**NİL ( WHITE )**  
YL60-2011

2,15 \$

GU10 MR16  
100 Ad.  
57x53,5x23  
15,3 kg  
94 mm  
Ø 85 mm  
Delik Çapı

**NİL ( DUAL BLACK )**  
YL60-2210

6,30 \$

GU10 MR16  
50 Ad.  
61x26x39  
14 kg  
180 mm  
165 mm  
Delik Aralığı

**NİL ( DUAL WHITE )**  
YL60-2211

6,30 \$

GU10 MR16  
50 Ad.  
61x26x39  
14 kg  
180 mm  
165 mm  
Delik Aralığı

**GANJ ( WHITE - ROSE )**  
YL60-0412

6,60 \$

GU10 MR16  
100 Ad.  
52x27x42  
9,1 kg  
Ø 100 mm  
Ø 75 mm  
Delik Çapı

**GANJ ( WHITE - GOLD )**  
YL60-0414

6,60 \$

GU10 MR16  
100 Ad.  
52x27x42  
9,1 kg  
Ø 100 mm  
Ø 75 mm  
Delik Çapı

**ARAS ( WHITE - ROSE )**  
YL60-3402

6,60 \$

GU10 MR16  
100 Ad.  
54,5x27x44,5  
11,2 kg  
85 mm  
Ø 75 mm  
Delik Çapı

**ARAS ( WHITE - GOLD )**  
YL60-3404

6,60 \$

GU10 MR16  
100 Ad.  
54,5x27x44,5  
11,2 kg  
85 mm  
Ø 75 mm  
Delik Çapı



# ALUMINUM DECORATIVE (EMPTY) CASES

**DİCLE**  
(WHITE - GOLD)  
YL60-1211

7,00 \$


GU10  
MR16

50 Ad.

58x23,5x27

6,9 kg

Ø 95 mm  
45 mm  
Ø 65 mm  
Delik Çapı



**DİCLE**  
(BLACK - WHITE)  
YL60-1110

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

6,9 kg

Ø 95 mm  
30 mm  
Ø 65 mm  
Delik Çapı



**DİCLE**  
(GOLD - BLACK)  
YL60-1012

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

6,9 kg

Ø 95 mm  
30 mm  
Ø 65 mm  
Delik Çapı



**FIRAT**  
(WHITE)  
YL60-1011

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

7,6 kg

Ø 95 mm  
30 mm  
Ø 75 mm  
Delik Çapı



**FIRAT**  
(BLACK)  
YL60-1010

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

7,6 kg

Ø 95 mm  
30 mm  
Ø 75 mm  
Delik Çapı



**TUNA**  
(WHITE - GOLD)  
YL60-1312

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

7,5 kg

95 mm  
95 mm  
Ø 65 mm  
Delik Çapı



**İDİL**  
(WHITE)  
YL60-1321

7,00 \$


GU10  
MR16

50 Ad.

58x23,5x27

7,5 kg

95 mm  
95 mm  
30 mm  
Ø 75 mm  
Delik Çapı



**İDİL**  
(BLACK)  
YL60-1320

7,00 \$

GU10  
MR16

50 Ad.

58x23,5x27

7,5 kg

95 mm  
95 mm  
30 mm  
Ø 75 mm  
Delik Çapı



**TUNA**  
(WHITE - BLACK)  
YL60-1310

7,00 \$


GU10  
MR16

50 Ad.

58x23,5x27

7,5 kg

95 mm  
95 mm  
Ø 65 mm  
Delik Çapı



# DECORATIVE GLASS (EMPTY) CASES

**ZEUS**  
YL65-1611

2,50 \$

GU10 MR16

50 Ad.

53x21,5x19

6 kg

Ø 90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**ZEUS**  
YL65-1631

2,80 \$

GU10 MR16

50 Ad.

53x21,5x19

7 kg

90 mm  
90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**HADES**  
YL65-1610

2,50 \$

GU10 MR16

50 Ad.

53x21,5x19

6 kg

Ø 90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**HADES**  
YL65-1630

2,80 \$

GU10 MR16

50 Ad.

53x21,5x19

7,4 kg

90 mm  
90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**ARES**  
YL65-1612

2,50 \$

GU10 MR16

50 Ad.

53x21,5x19

6 kg

Ø 90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**ARES**  
YL65-1632

2,80 \$

GU10 MR16

50 Ad.

53x21,5x19

7,4 kg

90 mm  
90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**HERA**  
YL65-1620

5,85 \$

GU10 MR16

50 Ad.

53x21,5x19

6 kg

Ø 90 mm  
20 mm

Ø 65 mm  
Delik Çapı

**GAYA**  
YL65-1621

7,00 \$

GU10 MR16

50 Ad.

53x21,5x19

6 kg

Ø 90 mm  
20 mm

Ø 65 mm  
Delik Çapı



# DECORATIVE CRYSTAL GLASS (EMPTY) CASES

**HERMES**  
YL65-1641

3,75 \$

GU10 MR16

6,4 kg

50 Ad.

53x21,5x22

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı




**İKAROS**  
(LED FRAME)  
YL65-1657

3W

6,15 \$

4000K

GU10 MR16

9,4 kg

50 Ad.

67x27,5x24,5

Ø 120 mm  
9 mm

Ø 65 mm  
Delik Çapı




**GERAS**  
(LED FRAME)  
YL65-1667

3W

6,45 \$

4000K

GU10 MR16

5,1 kg

50 Ad.

53x21,5x24,5

Ø 100 mm  
9 mm

Ø 65 mm  
Delik Çapı




**HEMERA**  
YL65-1640

5,15 \$

GU10 MR16

8,4 kg

50 Ad.

53x21,5x32

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı




**HEKTOR**  
(LED FRAME)  
YL65-1677

3W

3,95 \$

4000K

GU10 MR16

5,7 kg

50 Ad.

53x21,5x24,5

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı




**KARYA**  
(LED FRAME)  
YL65-1697

3W

6,45 \$

4000K

GU10 MR16

12,3 kg

50 Ad.

53x21,5x24,5

Ø 100 mm  
9 mm

Ø 65 mm  
Delik Çapı




**APOLLON**  
YL65-1642

5,15 \$

GU10 MR16



8,4 kg

50 Ad.

53x21,5x32

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı

**POSEDİON**  
YL65-1644

3,50 \$

GU10 MR16

7,2 kg

50 Ad.

50,5x21,5x32

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı




**PODOS**  
(LED FRAME)  
YL65-1687

3W

5,45 \$

4000K

GU10 MR16



8,1 kg

50 Ad.

53x21,5x24,5

Ø 95 mm  
9 mm

Ø 65 mm  
Delik Çapı



# DECORATIVE CRYSTAL GLASS (EMPTY) CASES

**LİTA**  
(LED FRAME)  
YL65-1707

3W  
4,10 \$  
4000K

GU10 MR16  
6,4 kg  
50 Ad.  
53x21,5x24,5  
Ø 95 mm  
Ø 65 mm Delik Çapı

**LODOS**  
(LED FRAME)  
YL65-1717

3W  
6,15 \$  
4000K

GU10 MR16  
8,6 kg  
50 Ad.  
67x27,5x24,5  
Ø 120 mm  
Ø 65 mm Delik Çapı

**SELEN**  
(LED FRAME)  
YL65-1737

3W  
4,85 \$  
4000K

GU10 MR16  
5,1 kg  
50 Ad.  
53x21,5x24,5  
95 mm  
Ø 65 mm Delik Çapı

**TROYA**  
(LED FRAME)  
YL65-1727

3W  
3,95 \$  
4000K

GU10 MR16  
6,1 kg  
50 Ad.  
53x21,5x24,5  
Ø 95 mm  
Ø 65 mm Delik Çapı

**NİLUS**  
(LED FRAME)  
YL65-1747

3W  
3,95 \$  
4000K

GU10 MR16  
5,8 kg  
50 Ad.  
53x21,5x24,5  
Ø 95 mm  
Ø 65 mm Delik Çapı

**FLORA**  
(LED FRAME)  
YL65-1757

3W  
7,50 \$  
4000K BLUE

GU10 MR16  
5,1 kg  
50 Ad.  
67x27,5x24,5  
Ø 120 mm  
Ø 65 mm Delik Çapı

**İRİS**  
(LED FRAME)  
YL65-1767

3W  
5,40 \$  
4000K

GU10 MR16  
10,5 kg  
50 Ad.  
67x27,5x24,5  
Ø 120 mm  
Ø 65 mm Delik Çapı

**ATHENA**  
(LED FRAME)  
YL65-1777

3W  
6,15 \$  
4000K

GU10 MR16  
10 kg  
50 Ad.  
67x27,5x24,5  
Ø 120 mm  
Ø 65 mm Delik Çapı

**ADONİS**  
(LED FRAME)  
YL65-1787

3W  
6,15 \$  
4000K

GU10 MR16  
7,3 kg  
50 Ad.  
53x21,5x24,5  
Ø 95 mm  
Ø 65 mm Delik Çapı

# DECORATIVE SURFACE MOUNTED ALUMINUM (EMPTY) CASES

**ROMA ( BLACK - COPPER )**  
YL60-9140

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( BLACK - WHITE )**  
YL60-9141

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( BLACK - BLACK )**  
YL60-9143

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( WHITE - WHITE )**  
YL60-9144

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( BLACK - ROSE )**  
YL60-9145

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( WHITE - ROSE )**  
YL60-9146

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( BLACK - CHROME )**  
YL60-9147

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



**ROMA ( WHITE - BLACK )**  
YL60-9142

7,90 \$

GU10

IP20

30 Ad.

33x51,5x23,5

11,5 kg

Ø 100 mm



# DECORATIVE SURFACE MOUNTED ALUMINUM (EMPTY) CASES

**VENEDİK ( BLACK - COPPER )**  
YL60-9150

9,65 \$

GU10


IP20

30 Ad.

33x54x30,5

13,5 kg

100 mm



**VENEDİK ( BLACK - ROSE )**  
YL60-9152

9,65 \$

GU10

IP20

30 Ad.

33x54x30,5

13,5 kg

100 mm



**VENEDİK ( BLACK - CHROME )**  
YL60-9153

9,65 \$

GU10

IP20

30 Ad.

33x54x30,5

13,5 kg

100 mm



**VENEDİK ( BLACK - BLACK )**  
YL60-9156

9,65 \$

GU10

IP20

30 Ad.

33x54x30,5

13,5 kg

100 mm



**VENEDİK ( WHITE - BLACK )**  
YL60-9151

9,65 \$

GU10

IP20

30 Ad.

33x54x30,5

13,5 kg

100 mm



**FLORANSA ( BLACK - COPPER )**  
YL60-9160

7,05 \$

GU10

IP20

50 Ad.

31,5x31,5x22,5

7,8 kg

60 mm

100 mm



**FLORANSA ( BLACK - BLACK )**  
YL60-9162

7,05 \$

GU10

IP20

50 Ad.

31,5x31,5x22,5

7,8 kg

60 mm

100 mm



**FLORANSA ( WHITE - WHITE )**  
YL60-9161

7,05 \$

GU10

IP20

50 Ad.

31,5x31,5x22,5

7,8 kg

60 mm

100 mm



**MİLANO ( BLACK - COPPER )**  
YL60-9170

32,15 \$

GU10

IP20

20 Ad.

40x39x45,5

12,5 kg

350 mm

70 mm

90 mm

100 mm



**NAPOLİ ( BLACK - GOLD )**  
YL85-2280

10,50 \$

G9

IP20

50 Ad.

41x34x51

8,5 kg

60 mm

150 mm





# LED BULBS

**YL95-9001-A**

**9W**  
**0,91 \$**

6500K 4000K 3200K

**IP20** **220 V**

**510 LÜMEN** **SMD**

200 Ad. 60x30,5x44,5

**7,9 kg** **IC Technology**

Ø 60 mm 110 mm **E27**




**YL95-1201-A**

**12W**  
**1,00 \$**

6500K 3200K

**IP20** **220 V**

**1080 LÜMEN** **SMD**

100 Ad. 62,5x32x26

**4,9 kg** **IC Technology**

Ø 60 mm 118 mm **E27**




**YL95-1501**

**15W**  
**1,30 \$**

6500K 3200K

**IP20** **220 V**

**1350 LÜMEN** **SMD**

100 Ad. 71x36x28,5

**5,9 kg** **IC Technology**

Ø 70 mm 132 mm **E27**




**LED BULB WITH SENSOR**  
**YL95-1201-S**

**12W**  
**7,00 \$**

6500K 3200K

**IP20** **220 V**



**1080 LÜMEN** **SMD**

6-8 METRE

100 Ad. 65x33x28

**5,8 kg** **IC Technology**

Ø 65 mm 130 mm **E27**

**BULB**  
**YL95-0701-T**

**6W**  
**1,05 \$**

6500K 3200K



**IP20** **220 V**

**540 LÜMEN** **SMD**

200 Ad. 46,5x24x35

**5,2 kg** **IC Technology**

Ø 45 mm 80 mm **E27**

**BULB**  
**YL96-0701-T**

**6W**  
**1,05 \$**

6500K 3200K



**IP20** **220 V**

**540 LÜMEN** **SMD**

200 Ad. 46,5x24x35

**4,7 kg** **IC Technology**

Ø 45 mm 80 mm **E14**

# LED CANDLE TYPE - SPOT BULBS SOCKET

**IP20**  
**CANDLE TYPE**  
YL96-0701-B

**7W**  
**0,91 \$**

220 V

630 LÜMEN

SMD IC Technology

200 Ad.

38x38x22

5,2 kg

E14

Ø 37 mm  
100 mm




**IP20**  
**CANDLE TYPE**  
YL95-0701-P

**8W**  
**1,80 \$**

220 V

720 LÜMEN

SMD IC Technology

200 Ad.

40,5x40,5x27

5,9 kg

E27

Ø 37 mm  
110 mm




**IP20**  
**CANDLE TYPE**  
YL96-0701-P

**8W**  
**1,80 \$**

220 V

720 LÜMEN

SMD IC Technology

200 Ad.

40,5x40,5x27

5,8 kg

E14

Ø 37 mm  
100 mm




**GU10**  
**SPOT**  
YL91-0501

**5W**  
**1,30 \$**

IP20

220 V

450 LÜMEN

SMD IC Technology

200 Ad.

53,5x27,5x25,5

6,6 kg

Ø 50 mm  
54 mm




**GU10**  
**SPOT**  
YL91-0701

**7W**  
**1,40 \$**

IP20

220 V

630 LÜMEN

SMD IC Technology

200 Ad.

53,5x27,5x25,5

6,6 kg

Ø 50 mm  
54 mm




**GU10**  
**LENSED SPOT**  
YL91-0701-M

**7W**  
**1,40 \$**

IP20

220 V

630 LÜMEN

SMD IC Technology

200 Ad.

53,5x27,5x25,5

7,2 kg

Ø 50 mm  
54 mm

4000K MAVİ  
KIRMIZI YEŞİL  
AMBER




**GU10**  
**DIMMABLE  
LENSED SPOT**  
YL91-0701-D

**7W**  
**2,65 \$**

IP20

220 V

630 LÜMEN

SMD IC Technology

200 Ad.

53,5x27,5x25,5

7,5 kg

Ø 50 mm  
54 mm

DIMLENEBİLİR




**MR16**  
**NEEDLE PIN**  
YL91-1671

**7W**  
**1,30 \$**

IP20

220 V

630 LÜMEN

SMD IC Technology

200 Ad.

53,5x27,5x25,5

10,7 kg

Ø 50 mm  
54 mm




**12 CM  
SOCKET WITH CABLE**  
YL91-0010

**0,28 \$**

GU10

40x26x24

15 kg

1000 Ad.





# LED BULBS

**RGB BULB WITH REMOTE**  
YL95-9029

**9W**  
**5,40 \$**

IP20 220 V

810 LÜMEN SMD

200 Ad. 59,5x35x44,5


11,3 kg IC Technology

Ø 60 mm 110 mm E27

7-8 METER REMOTE RANGE

MEMORY FEATURED

DIMMABLE



**DISKO BULB RGB**  
YL90-9003

**3W**  
**4,40 \$**

IP20 220 V

270 LÜMEN POWER LED

50 Ad. 41x40x30

5,4 kg

Ø 80 mm 145 mm E27

360°

RGB



**RECHARGEABLE BULB**  
YL95-0711

**7W**  
**5,25 \$**

IP20 220 V

630 LÜMEN SMD

100 Ad. 63,5x32x26,5

11,8 kg

Ø 60 mm 122 mm E27

REAL BATTERY LIFE

3 HOURS CHARGE TIME  
4-5 HOURS WORK TIME

6500K



**FLAME BULB**  
YL95-0506

**5W**  
**6,90 \$**

IP20 220 V

450 LÜMEN SMD


50 Ad. 33,5x33,5x29,5

4 kg

Ø 62 mm 136 mm E27

1300K

FLAME MODE  
GENERAL LIGHTING MODE  
BREATH MODE  
REVERSE FLAME MODE



**YONCA**  
YL90-0041

**40W**  
**6,45 \$**

IP20 220 V

3600 LÜMEN SMD

50 Ad. 50,5x43,5x44

14,4 kg IC Technology

150 mm 245 mm E27

6500K 3200K



**MANOLYA**  
YL90-0021

**20W**  
**5,00 \$**

IP20 220 V


1800 LÜMEN SMD

100 Ad.

11 kg IC Technology

82 mm 190 mm E27

6500K 3200K



**NIGHT BULB**  
YL95-0100

**1W**  
**0,65 \$**

IP20 220 V

90 LÜMEN SMD

300 Ad. 46,5x24x41

5,3 kg IC Technology

Ø 45 mm 70 mm E27

BEYAZ

YELLOW  
BLUE  
RED  
GREEN  
PINK



# LED TORCH BULBS

**YL95-2001**

**20W**  
**2,20 \$**

6500K 3200K

**IP20** **220 V**

**1980 LÜMEN** **SMD**

**100 Ad.** 42x41,5x61

**9,6 kg** **IC Technology**

**E27** 80 mm 140 mm

**HIGH LUMEN**




**YL95-3001**

**30W**  
**3,20 \$**

6500K 3200K

**IP20** **220 V**

**2930 LÜMEN** **SMD**

**50 Ad.** 52,5x52x37

**7,8 kg** **IC Technology**

**E27** 100 mm 170 mm

**HIGH LUMEN**




**YL95-4001**

**40W**  
**4,40 \$**

6500K 3200K

**IP20** **220 V**

**3950 LÜMEN** **SMD**

**30 Ad.** 59x37x39,4

**6,6 kg** **IC Technology**

**E27** 115 mm 190 mm

**HIGH LUMEN**




**YL95-5001**

**50W**  
**5,70 \$**

6500K 3200K

**IP20** **220 V**

**4290 LÜMEN** **SMD**

**20 Ad.** 63x27,5x44

**4,8 kg** **IC Technology**

**E27** 125 mm 215 mm

**HIGH LUMEN**




**YL95-6001**

**60W**  
**6,90 \$**

6500K 3200K

**IP20** **220 V**

**5075 LÜMEN** **SMD**

**20 Ad.** 71x29x48

**5,9 kg** **IC Technology**

**E27** 140 mm 221 mm

**HIGH LUMEN**




**ŞARJLI**  
**YL95-3101**

**30W**  
**7,75 \$**

6500K

**IP20** **3,7V**

**2400 LÜMEN** **SMD**

**40 Ad.** 46x42x26,5

**10,5 kg** **IC Technology**

**E27** 159 mm 95 mm

**REAL BATTERY LIFE**  
**4-5 HOURS WORK TIME**

**NEW**

Chargeable with Micro USB  
4 Function





# LED BATTEN LUMINAIRES

**60 CM BATTEN LUMINAIRE**  
YL98-6000

**20W**  
3,95 \$

IP20 220 V

1800 LÜMEN COB

30 Ad. 62x27x25

6,5 kg

600 mm 74 mm

6500K 3200K



**120 CM BATTEN LUMINAIRE**  
YL98-1200

**40W**  
4,95 \$

IP20 220 V

3600 LÜMEN COB

40 Ad. 122x33x27

14,2 kg

1200 mm 74 mm

6500K 4000K 3200K



**60 CM BATTEN LUMINAIRE ( BLACK )**  
YL98-6000-S

**20W**  
5,70 \$

IP20 220 V

1800 LÜMEN COB

30 Ad. 62x27x25

6,5 kg

600 mm 74 mm

6500K 3200K

**YENİ**



**120 CM BATTEN LUMINAIRE ( BLACK )**  
YL98-1200-S

**40W**  
6,75 \$

IP20 220 V

3600 LÜMEN COB

40 Ad. 122x33x27

14,2 kg

1200 mm 74 mm

6500K 4000K 3200K

**YENİ**



**120 CM BATTEN LUMINAIRE ( SENSOR )**  
YL98-1200-SE

**40W**  
15,00 \$

IP20 220 V

2160 LÜMEN COB

40 Ad. 54x26x28


4,9kg

1200 mm 74 mm

6500K 4000K 3200K

**YENİ**

6-8 METRE



**120 CM BATTEN LUMINAIRE**  
YL98-5400

**54W**  
8,80 \$

IP20 220 V

4860 LÜMEN COB

30 Ad. 124x31x25,5

16,7kg

1200 mm 77 mm

6500K 3200K

**3 SIRA LED**



**120 CM BATTEN LUMINAIRE ALUMINUM**  
YL98-7200

**72W**  
12,60 \$

IP20 220 V

6480 LÜMEN SMD

30 Ad. 124x31x25,5

15,4 kg

1200 mm 77 mm

6500K 3200K

**3 SIRA LED**

**HIGH LUMEN**



**120 CM BATTEN LUMINAIRE ALUMINUM**  
YL98-9000

**90W**  
26,50 \$

IP20 220 V

8100 LÜMEN SMD

20 Ad. 123x26,5x23

100 mm

6500K 3200K

**3 SIRA LED**

**HIGH LUMEN**



# LED ETANJ BATTEN LUMINAİRES

**120 CM ETNA BATTEN LUMINAİRE**  
YL98-5001

**60W**  
**10,95 \$**

IP20 220 V

5400 LÜMEN

SMD

2 ROW LED

6500K 3200K

20 Ad. 122x27x15

6 kg

NEW

YÜKSEK LÜMEN




**120 CM ETNA BATTEN LUMINAİRE**  
YL98-6601

**80W**  
**13,15 \$**

IP20 220 V

7200 LÜMEN

SMD

4 ROW LED

6500K 3200K

20 Ad. 122x28x21

10 kg

NEW

YÜKSEK LÜMEN




**60 CM SALİNA ETANJ DAMP PLACE**  
YL98-1810

**18W**  
**12,00 \$**

IP65 220 V

1800 LÜMEN

SMD

NEW

6500K 3200K

20 Ad. 67x25,5x29

5 kg

30,00 \$

OSRAM DRIVER




**120 CM SALİNA ETANJ DAMP PLACE**  
YL98-3610

**36W**  
**17,60 \$**

IP65 220 V

3450 LÜMEN

SMD

NEW

6500K 3200K

20 Ad. 124,5x26x29

10 kg

37,50 \$

OSRAM DRIVER




**60 CM ETANJ DAMP PLACE**  
YL98-2000

**18W**  
**10,95 \$**

IP65 220 V

1620 LÜMEN

SMD

NEW



6500K 3200K

50 Ad. 66x37x33

10 kg

600 mm

55 mm

**120 CM ETANJ DAMP PLACE**  
YL98-3600

**36W**  
**14,00 \$**

IP65 220 V

3240 LÜMEN

SMD

NEW


6500K 3200K

50 Ad. 127x43x33

18,6 kg

1200 mm

55 mm



# LED T5 BATTEN LUMINAIRES LED FLUORESCENTS

**30 CM T5 JOINABLE  
BATTEN LUMINAIRE**  
YL97-0500

**5W**  
**3,65 \$**

6500K 3200K

**IP20** **220 V**

**400 LÜMEN** **SMD**

20 Ad. 36,5x14x16,5

2 kg

23 mm 300 mm 30 mm

**SWITCH**



**60 CM T5 JOINABLE  
BATTEN LUMINAIRE**  
YL97-0900

**9W**  
**4,85 \$**

6500K 3200K

**IP20** **220 V**

**720 LÜMEN** **SMD**

20 Ad. 63,5x13,5x16,5

3 kg

23 mm 600 mm 30 mm

**SWITCH**



**90 CM T5 JOINABLE  
BATTEN LUMINAIRE**  
YL97-1400

**14W**  
**5,55 \$**

6500K 3200K

**IP20** **220 V**

**1120 LÜMEN** **SMD**

20 Ad. 94x14x16,7

4 kg

23 mm 900 mm 30 mm

**SWITCH**



**120 CM T5 JOINABLE  
BATTEN LUMINAIRE**  
YL97-1800

**18W**  
**6,30 \$**

6500K 3200K

**IP20** **220 V**

**1440 LÜMEN** **SMD**

20 Ad. 124,7x14x16,4

6 kg

23 mm 1200 mm 30 mm

**SWITCH**



**60 CM LED FLUORESCENT**  
YL97-6000

**9W**  
**3,45 \$**

6500K 3200K

**IP20** **220 V**


**810 LÜMEN** **COB**

100 Ad. 63,5x31,5x32

7,4 kg

590 mm Ø 26 mm

**DUPLEX ENERGY INPUT**



**120 CM LED FLUORESCENT**  
YL97-1200

**18W**  
**4,40 \$**

6500K 3200K

**IP20** **220 V**

**1620 LÜMEN** **COB**

50 Ad. 124,5x31,5x17

7 kg

1200 mm Ø 26 mm

**DUPLEX ENERGY INPUT**



# LED SEARCHLIGHTS FLASHLIGHTS

**IP20**  
**DATÇA 30 LED SEARCHLIGHT**  
YL05-1001

**2W**  
**10,80 \$**

**RECHARGEABLE**

**220 V**

**150 LÜMEN**

**SMD**

**40 Ad.**

**37,5x30,5x23**

**9,5 kg**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**NEW**



**IP20**  
**DATÇA 60 LED SEARCHLIGHT (CORDED)**  
YL05-1011

**4W**  
**16,60 \$**

**RECHARGEABLE**

**220 V**

**300 LÜMEN**

**SMD**

**20 Ad.**

**38,5x23x31**

**7,7 kg**

**3 HOURS CHARGE TIME**  
**8 HOURS WORK TIME**

**NEW**



**IP20**  
**DATÇA 90 LED SEARCHLIGHT (CORDED)**  
YL05-1021

**6W**  
**25,60 \$**

**RECHARGEABLE**

**220 V**

**500 LÜMEN**

**SMD**

**15 Ad.**

**52,5x23,5x24**

**8,5 kg**

**3 HOURS CHARGE TIME**  
**10 HOURS WORK TIME**

**NEW**



**IP20**  
**YAKAMOZ LED LANTERN**  
YL05-2001

**7W**  
**17,15 \$**

**RECHARGEABLE**

**220 V**

**560 LÜMEN**

**SMD**

**20 Ad.**

**62x25,5x43**

**9,7 kg**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**DIMMABLE**

**NEW**



**IP20**  
**MİLAS LED FLASHLIGHT**  
YL05-2011

**3W**  
**17,80 \$**

**RECHARGEABLE**

**220 V**

**150 LÜMEN**

**SMD**

**20 Ad.**

**63,5x22x54**

**19,6 kg**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**CREE LED**

**NEW**



**IP20**  
**SEREN LED HEAD LIGHT**  
YL05-2021

**1W**  
**8,45 \$**

**RECHARGEABLE**

**220 V**

**50 LÜMEN**

**SMD**

**60 Ad.**


**43,5x24x26**

**9,2 kg**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**CREE LED**

**NEW**



**IP20**  
**SÖĞÜT 80 LED SEARCHLIGHT**  
YL05-3001

**6W**  
**15,50 \$**

**RECHARGEABLE**

**220 V**

**480 LÜMEN**

**SMD**

**30 Ad.**

**41x25,5x40,5**

**9,7 kg**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**DIMMABLE**

**NEW**



**IP44**  
**POLİCE LED FLASHLIGHT**  
YL05-2031

**10W**  
**11,70 \$**

**RECHARGEABLE**

**3,7 V**

**800 LÜMEN**

**SMD**

**60 Ad.**

**62x40x31**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**ZOOM** **FLAŞ**

**5 FUNCTION**  
**CREE LED**

**NEW**



**IP20**  
**ORTACA INSPECTION LAMP**  
YL05-4001

**7W**  
**11,75 \$**

**RECHARGEABLE**

**3,7 V**

**560 LÜMEN**

**SMD**

**3 HOURS CHARGE TIME**  
**6 HOURS WORK TIME**

**NEW**



# LED FLOODLIGHTS

**YL70-0010**

**IP65** **220 V**

**900 LÜMEN** **SMD**

**50 Ad.** **IC Technology**

**11,1 kg** **53x19,5x30,5**

**10W**

**5,85 \$**

6500K 3200K

**7,30 \$**

BLUE GREEN AMBER



360°



86 mm 130 mm 25 mm

**YL70-0020**

**IP65** **220 V**

**1800 LÜMEN** **SMD**

**30 Ad.** **IC Technology**

**5,6 kg** **44x23x39**

**20W**

**7,30 \$**

6500K 3200K

**8,80 \$**

GREEN AMBER



360°



125 mm 175 mm 34 mm

**YL70-0030**

**IP65** **220 V**

**2700 LÜMEN** **SMD**

**20 Ad.** **IC Technology**

**12,1 kg** **42x36x25**

**30W**

**10,25 \$**

6500K 3200K

**11,70 \$**

GREEN AMBER



360°



160 mm 190 mm 35 mm

**YL70-0050**

**IP65** **220 V**

**4500 LÜMEN** **SMD**

**20 Ad.** **IC Technology**

**17 kg** **54x45x22**

**50W**

**13,90 \$**

6500K 3200K

**16,10 \$**

GREEN



360°



185 mm 255 mm 35 mm

**YL70-0100**

**IP65** **220 V**

**9000 LÜMEN** **SMD**

**10 Ad.** **IC Technology**

**13 kg** **49x24,5x35,5**

**100W**

**21,05 \$**

6500K 3200K

**24,90 \$**

4000K GREEN



360°



220 mm 325 mm 37 mm

**YL70-0150**

**IP65** **220 V**

**13500 LÜMEN** **SMD**

**10 Ad.** **IC Technology**

**18,5 kg** **50,5x38x30**

**150W**

**40,10 \$**

6500K 3200K



360°



262 mm 330 mm 39 mm

**YL70-0200**

**IP65** **220 V**

**18000 LÜMEN** **SMD**

**10 Ad.** **IC Technology**

**24 kg** **56,5x41,5x32,5**

**200W**

**48,00 \$**

6500K 3200K



360°



280 mm 400 mm 39 mm

**CHIP YL88-5001**

**IP20** **220 V**

**4500 LÜMEN** **COB**

**80 Ad.** **IC Technology**

**1 kg.** **20x16x5**

**50W**



**2,95 \$**

6500K 3200K

**3,10 \$**

RED GREEN AMBER

FULL SPECTRUM (PINK)

34 mm 25 mm 34 mm 40 mm 60 mm 34 mm



# LED FLOODLIGHTS

## LED FLOODLIGHTS WITH SENSOR

**YL70-0300**

**300W**  
145,00 \$  
6500K

**IP66** **220 V**

**27000 LÜMEN** **SMD**

5 Ad. 44x43x38,5

28,5 kg **IC Technology**

330 mm  
410 mm  
70 mm




**YL70-0400**

**400W**  
185,00 \$  
6500K

**IP66** **220 V**

**36000 LÜMEN** **SMD**

5 Ad. 45x49x42,5

31 kg **IC Technology**

380 mm  
460 mm  
75 mm




**YL70-0500**

**500W**  
224,00 \$  
6500K

**IP66** **220 V**

**45000 LÜMEN** **SMD**

5 Ad. 54x56,5x49

36 kg **IC Technology**

430 mm  
510 mm  
80 mm




**SENSOR YL70-0030-S**

**30W**  
29,25 \$  
6500K

**IP65** **220 V**

**2700 LÜMEN** **SMD**

20 Ad. 45x52x26

12,1 kg **IC Technology**

160 mm  
190 mm  
35 mm

**6-8 METER**




**SENSOR YL70-0050-S**

**50W**  
36,85 \$  
6500K

**IP65** **220 V**

**4500 LÜMEN** **SMD**

20 Ad. 54x51,5x26

17 kg **IC Technology**

185 mm  
255 mm  
35 mm

**6-8 METER**




**SENSOR YL70-0100-S**

**100W**  
57,50 \$  
6500K

**IP65** **220 V**

**9000 LÜMEN** **SMD**

10 Ad. 57x39x35,5

13 kg **IC Technology**

220 mm  
325 mm  
37 mm

**6-8 METER**






# LED TRACK LIGHTS

**PARIS**  
YL29-3101

30W  
5,55 \$

6500K 4000K 3200K

2700 LÜMEN COB

NEW

8,7 kg

30 Ad. 52x34x57

82 mm 125 mm

**PARIS**  
YL29-3001

30W  
5,55 \$

6500K 4000K 3200K

2700 LÜMEN COB

NEW

8,7 kg

30 Ad. 52x34x57

82 mm 125 mm

**PICASSO**  
(EMPTY CASE)  
YL29-0101

8,35 \$

GU10

IP20

220 V

6,4 kg

30 Ad.

37x27,5x38

Ø 62 mm 118 mm

**LYON**  
YL29-4001

40W  
14,60 \$

6500K 3200K

3600 LÜMEN COB

16 kg

30 Ad. 49x46x54,5

Ø 90 mm 135 mm

**LYON**  
YL29-4101

40W  
14,60 \$

6500K 3200K

3600 LÜMEN COB

16 kg

30 Ad. 49x46x54,5

Ø 90 mm 135 mm

**METZ**  
YL29-2001

20W  
7,90 \$

6500K 3200K

1800 LÜMEN COB

6,5 kg

30 Ad. 34x32x52,5

Ø 62 mm 160 mm

**METZ**  
YL29-2101

20W  
7,90 \$

6500K 3200K

1800 LÜMEN COB

6,5 kg

30 Ad. 34x32x52,5

Ø 62 mm 160 mm

# LED TRACK LIGHTS

<b>IP20</b>	 220 V	<b>CANNES</b> YL29-3501-B	<b>35W</b> 15,80 \$
 3150 LÜMEN	 COB		  6500K 3200K
 12,6 kg			
 30 Ad.	 54x33x55,5		
 Ø 99 mm 170 mm			

<b>IP20</b>	 220 V	<b>CANNES</b> YL29-3601-B	<b>35W</b> 15,80 \$
 3150 LÜMEN	 COB		  6500K 3200K
 12,6 kg			
 30 Ad.	 54x33x55,5		
 Ø 99 mm 170 mm			


<b>IP20</b>	 220 V	<b>COLMAR</b> YL29-4001-T	<b>40W</b> 26,35 \$
 3600 LÜMEN	 COB		  6500K 3200K
 22 kg			
 30 Ad.	 53x50x37		
 Ø 99 mm 157 mm			


<b>IP20</b>	 220 V	<b>COLMAR</b> YL29-4101-T	<b>40W</b> 26,35 \$
 3600 LÜMEN	 COB		  6500K 3200K
 22 kg			
 30 Ad.	 53x50x37		
 Ø 99 mm 157 mm			

<b>IP20</b>	 220 V	<b>MARSİLYA</b> YL29-3501	<b>35W</b> 10,25 \$
 3150 LÜMEN	 COB		  6500K 3200K
 8,1 kg			
 20 Ad.	 56x47x36,5		
 Ø 98 mm 107 mm			


<b>IP20</b>	 220 V	<b>MARSİLYA</b> YL29-3601	<b>35W</b> 10,25 \$
 3150 LÜMEN	 COB		  6500K 3200K
 8,1 kg			
 20 Ad.	 56x47x36,5		
 Ø 98 mm 107 mm			

# TRACK LIGHTS RAILS & APPARATUS

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>30 Ad.</b></p>	<p><b>6 kg</b></p> <p><b>110x19x11</b></p>	<p><b>WHITE</b></p> <p>YL99-0006-1 WHITE 1m</p>	<p><b>3,20 \$</b></p>	
	<p><b>12 kg</b></p> <p><b>210x19x11</b></p>	<p>YL99-0006-2 WHITE 2m</p>	<p><b>6,40 \$</b></p>	
	<p><b>19 kg</b></p> <p><b>310x19x11</b></p>	<p>YL99-0006-3 WHITE 3m</p>	<p><b>9,60 \$</b></p>	
	<p><b>6 kg</b></p> <p><b>110x19x11</b></p>	<p><b>BLACK</b></p> <p>YL99-0007-1 BLACK 1m</p>	<p><b>3,20 \$</b></p>	
	<p><b>12 kg</b></p> <p><b>210x19x11</b></p>	<p>YL99-0007-2 BLACK 2m</p>	<p><b>6,40 \$</b></p>	
	<p><b>19 kg</b></p> <p><b>310x19x11</b></p>	<p>YL99-0007-3 BLACK 3m</p>	<p><b>9,60 \$</b></p>	

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>200 Ad.</b></p> <p><b>41,5x21,1x17</b></p> <p><b>3,9 kg</b></p>	<p><b>INTERCONNECTION</b></p> <p>YL99-0008</p>	<p><b>0,88 \$</b></p>
		

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>200 Ad.</b></p> <p><b>41,5x21,1x17</b></p> <p><b>3,9 kg</b></p>	<p><b>L RETURN</b></p> <p>YL99-0004</p>	<p><b>1,18 \$</b></p>
		

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>100 Ad.</b></p> <p><b>41,5x21,1x17</b></p> <p><b>4,1 kg</b></p>	<p><b>PLUS CONNECTION</b></p> <p>YL99-0001</p>	<p><b>4,10 \$</b></p>
		

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>200 Ad.</b></p> <p><b>41,5x21,1x17</b></p> <p><b>3,4 kg</b></p>	<p><b>T APPARATUS</b></p> <p>YL99-0002</p>	<p><b>4,10 \$</b></p>
		

<p><b>IP20</b></p> <p><b>220 V</b></p> <p><b>170 Ad.</b></p> <p><b>56x47,50x22,50</b></p> <p><b>19,7 kg</b></p>	<p><b>ROZANS</b></p> <p>YL99-1007</p>	<p><b>2,20 \$</b></p>
		

<p><b>IP20</b></p> <p><b>220 V</b></p>	<p><b>TRACK LIGHT (CHIP &amp; DRIVER SET)</b></p> <p>YL88-3001</p> <p><b>30W</b></p> <p><b>3,50 \$</b></p> <p>6500K 4000K 3200K</p>
	



# LED EMERGENCY EXIT LUMINAIRES

**RIGHT - LEFT BIDIRECTIONAL**  
YLX-1003

IP20 220 V

SMD

20 Ad. 38,5x34,5x31

12 kg

355 mm 150 mm 18 mm

REAL BATTERY LIFE  
2 HOURS LIGHTING TIME

3W  
9,50 \$

**DOWN BIDIRECTIONAL**  
YLX-2003

IP20 220 V

SMD

20 Ad. 38,5x34,5x31

12 kg

355 mm 150 mm 18 mm

REAL BATTERY LIFE  
2 HOURS LIGHTING TIME

3W  
9,50 \$

**EXIT BIDIRECTIONAL**  
YLX-3003

IP20 220 V

SMD

20 Ad. 38,5x34,5x31

12 kg

355 mm 150 mm 18 mm

REAL BATTERY LIFE  
2 HOURS LIGHTING TIME

3W  
9,50 \$

**WC BIDIRECTIONAL**  
YLX-4003

IP20 220 V

SMD

20 Ad. 38,5x34,5x31

12 kg

355 mm 150 mm 18 mm

REAL BATTERY LIFE  
2 HOURS LIGHTING TIME

3W  
9,50 \$



# LED STRIPS

**IP20**  
4040 INDOOR  
YL40-4001

0,53 \$

6500K 3200K  
MAVI

0,65 \$

4000K KIRMIZI  
YEŞİL AMBER  
PEMBE

12 V  
14,4W/m  
60 LED/m  
1,2A/m  
6,2kg  
500m  
48x29x22  
5 m




**IP65**  
4040 OUTDOOR  
YL40-4101

1,05 \$

6500K 3200K  
MAVI

12 V  
14,4W/m  
60 LED/m  
1,2A/m  
8,5kg  
250m  
48x29x22  
5 m




**IP20**  
5050 INDOOR RGB  
YL50-5009

1,55 \$

RGB

12 V  
14,4W/m  
60 LED/m  
1,2A/m  
8,25kg  
500m  
48x29x22  
5 m



**IP65**  
5050 OUTDOOR  
RGB  
YL50-5109

1,98 \$

RGB

12 V  
14,4W/m  
60 LED/m  
1,2A/m  
9kg  
250m  
48x29x22  
5 m



**IP20**  
5050 INDOOR  
COPPER GROUND  
12 MM  
YL52-5001

4,50 \$

6500K 3200K

12 V  
19,2W/m  
60 LED/m  
1,6A/m  
5kg  
200m  
48x29x22  
5 m

YÜKSEK LÜMEN



**IP20**  
5630 INDOOR  
YL56-3001

1,00 \$

6500K 3200K

12 V  
18W/m  
60 LED/m  
1,5A/m  
7kg  
500m  
48x29x22  
5 m



**IP20**  
2835 INDOOR  
YL35-2801

0,52 \$

6500K 3200K  
MAVI

12 V  
4,8W/m  
60 LED/m  
0,4A/m  
4kg  
500m  
48x29x22  
5 m




**IP20**  
2835 INDOOR  
120 LED  
YL35-1201

1,45 \$

6500K 3200K

12 V  
9,6W/m  
120 LED/m  
0,8A/m  
6,6 kg  
200m  
48x28x22  
5 m



**IP20**  
2835 INDOOR  
240 LED  
YL35-2401

2,90 \$

6500K 3200K

12 V  
18W/m  
240 LED/m  
1,5A/m  
11 kg  
500m  
48x29x22  
5 m



# LED BARS

( MANUFACTURABLE DESIRED SIZE )

**5730 BAR LED**  
YL57-3001

IP20 12 V

72 LED/m  
18W/m

200m 1,5A/m

6,5 kg 115x12x8

1,85 \$  
6500K 3200K

2,00 \$  
4000K



**5730 BAR LED ( SURFACE MOUNTED )**  
YL57-4001

IP20 12 V

72 LED/m  
18W/m

200m 1,5A/m

NEW

7,50 \$  
6500K 3200K

8,30 \$  
4000K



**5730 BAR LED ( SURFACE MOUNTED )**  
YL57-4001-O

IP20 - 15,00 \$  
IP67 - 25,00 \$

IP20 12 V  
IP67 24 V

60 LED/m  
24W/m

200m 2A/m

NEW

6500K 3200K  
4000K  
BLUE RED  
GREEN AMBER



OSRAM LED

**5730 BAR LED CURRENT PROTECTED ( SURFACE MOUNTED )**  
YL57-5001-O

IP20 - 20,00 \$  
IP67 - 28,00 \$

IP20 24 V  
IP67 24 V

70 LED/m  
24W/m

200m 2A/m

NEW

6500K 3200K  
4000K  
BLUE RED  
GREEN AMBER



OSRAM LED

**5730 BAR LED ( SURFACE MOUNTED )**  
YL57-6001-O

IP20 - 20,00 \$  
IP67 - 28,00 \$

IP20 24 V  
IP67 24 V

120 LED/m  
18W/m

200m 1,5A/m

NEW

6500K 3200K  
4000K  
MAVİ KIRMIZI  
YEŞİL AMBER



OSRAM LED

**5730 BAR LED ( RECESSED MOUNTED )**  
YL57-7001-O

IP20 - 17,00 \$  
IP67 - 25,00 \$

IP20 12 V  
IP67 24 V

60 LED/m  
18W/m

200m 1,5A/m

NEW

6500K 3200K  
4000K  
BLUE RED  
GREEN AMBER



OSRAM LED



# LED HOSE AND APPARATUS

**4040 HOSE LED**  
YL41-4001

**1,90 \$**

IP65

220 V

0,03A/m

60 LED/m

6,1 kg

100 m

31,5x31,5x13

100 m

6500K 3200K  
BLUE RED  
GREEN AMBER  
4000K

**5050 HOSE LED RGB**  
YL41-5009

**2,65 \$**

IP65

220 V

0,03A/m

60 LED/m

5,8 kg

50 m

31,5x31,5x13

50 m

RGB

**PLUG CONNECTOR**  
YL41-1050

**1,90 \$**

IP65

220 V

17,5 kg

250 Ad.

45x28x25

**CONNECTOR APPARATUS**  
YL41-1001

**1,60 \$**

IP65

220 V

**STOPPER**  
YL41-1002

**1,60 \$**

IP65

220 V

**CLIP CONNECTOR**  
YL41-1003

**1,60 \$**

IP65

220 V

**CONNECTOR PIN**  
YL41-1004

**1,30 \$**

IP65

220 V

**RGB PLUG CONNECTOR**  
YL41-1059

**5,00 \$**

IP65

220 V

**RGB CONNECTOR**  
YL41-1006

**1,80 \$**

IP65

220 V

**RGB CONNECTOR PIN**  
YL41-1005

**1,30 \$**

IP65

220 V

**IR RGB 24 KEY REMOTE**  
YL27-0041

**1500W**

**26,00 \$**

IP65

220 V

1 Ad.

18A

**NEW**

# LED NEON VE APPARATUS

**IP65**

**220 V**

**0,03A/m**

**120 LED/m**

**5,6 kg**

**50 m**

**31,5x31,5x13**

**50 m**

**220V NEON LED ( 8x16 MM )**  
YL42-0001

**4,10 \$**

- 6500K 3200K
- BLUE RED
- GREEN AMBER
- 4000K PINK

**IP65**

**12 V**

**0,6A/m**

**120 LED/m**

**8 kg**

**37x25x28**

**20 Paket ( 100 m )**

**5 m**

**12V NEON LED ( 6x12 MM )**  
YL42-0121

**3,25 \$**

- 6500K 3200K
- BLUE RED
- GREEN AMBER
- 4000K PINK

**IP65**

**220 V**

**17,5 kg**

**250 Ad.**

**45x28x25**

**PLUG CONNECTOR**  
YL42-1042

**2,35 \$**

**2,35 \$**

**IP65**

**220 V**

**CONNECTOR PIN**  
YL42-1006

**1,40 \$**

**1,40 \$**

**IP65**

**220 V**

**STOPPER**  
YL42-1002

**1,60 \$**

**1,60 \$**



# 12V SLIM POWER SUPPLIES

**IP20**

**3A SLIM**  
YL20-0036

**36W**  
5,00 \$

**12 V**

**250 Ad.**

**25 kg**

**45x30,5x26,5**

45 mm 80 mm 20 mm



**HIGH CURRENT PROTECTED**

**IP20**

**5A SLIM**  
YL20-0060

**60W**  
6,60 \$

**12 V**

**50 Ad.**

**9,1 kg**

**45x23,5x22**

40 mm 160 mm 32 mm



**HIGH CURRENT PROTECTED**

**IP20**

**10A SLIM**  
YL20-0120

**120W**  
9,50 \$

**12 V**

**40 Ad.**

**11 kg**

**45x23x21,50**

46 mm 188 mm 35 mm



**HIGH CURRENT PROTECTED**

**IP20**

**12.5A SLIM**  
YL20-0150

**150W**  
10,25 \$

**12 V**

**40 Ad.**

**14 kg**

**45,5x25,5x26**

58 mm 200 mm 40 mm



**HIGH CURRENT PROTECTED**

**IP20**

**16.5A SLIM**  
YL20-0200

**200W**  
12,60 \$

**12 V**

**40 Ad.**

**15 kg**

**44,5x29x25,5**

58 mm 200 mm 40 mm



**HIGH CURRENT PROTECTED**

**IP20**

**20A SLIM**  
YL20-0250

**250W**  
15,35 \$

**12 V**

**30 Ad.**

**16 kg**

**49x24x25**

68 mm 220 mm 40 mm



**HIGH CURRENT PROTECTED**

**IP20**

**30A SLIM ( without FAN )**  
YL20-0360

**360W**  
17,25 \$

**12 V**

**30 Ad.**

**17 kg**

**49x24x25**

68 mm 220 mm 40 mm



**HIGH CURRENT PROTECTED**

**IP20**

**40A LARGE CASE ( with FAN )**  
YL20-0500

**500W**  
27,80 \$

**12 V**

**20 Ad.**

**14,5 kg**

**45x29x25,5**

110 mm 215 mm 50 mm



**HIGH CURRENT PROTECTED**

# 12V SUPER SLIM (ECO) POWER SUPPLIES

## 24V SLIM POWER SUPPLIES

## 24V SUPER SLIM POWER SUPPLIES

**5A SUPER SLIM**  
YL25-0060

**60W**  
3,20 \$

**IP20**

12 V

150 Ad.

8,5 kg

340x26,5x30

103 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**12.5A SUPER SLIM**  
YL25-0150

**150W**  
3,95 \$

**IP20**

12 V

120 Ad.

9,5 kg

36,5x29,5x31

148 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**16.5A SUPER SLIM**  
YL25-0200

**200W**  
4,85 \$

**IP20**

12 V

120 Ad.

11 kg

32,5x29,5x26,5

148 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**21A SUPER SLIM**  
YL25-0250

**250W**  
5,70 \$

**IP20**

12 V

80 Ad.

9 kg

47x21,5x26,5

168 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**25A SUPER SLIM**  
YL25-0300

**300W**  
6,60 \$

**IP20**

12 V

50 Ad.

19,3 kg

29,5x25x26,5

208 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**33A SUPER SLIM**  
YL25-0360

**360W**  
7,60 \$

**IP20**

12 V

50 Ad.

20,5 kg

32,5x29,5x26,5

270 mm

**NEW**

**ECO SERIES**

**HIGH CURRENT PROTECTED**



**5A SLIM**  
YL30-0120

**120W**  
10,55 \$

**IP20**

24 V


40 Ad.

11 kg

45x23x21,5

188 mm

**HIGH CURRENT PROTECTED**



**10A SLIM**  
YL30-0240

**240W**  
19,00 \$

**IP20**

24 V


30 Ad.

15 kg

49x24x25

220 mm

**HIGH CURRENT PROTECTED**



**15A SLIM**  
YL30-0360

**360W**  
21,95 \$

**IP20**

24 V

30 Ad.

16 kg

49x24x25

220 mm

**HIGH CURRENT PROTECTED**



**5A SUPER SLIM**  
YL26-0120

**120W**  
8,50 \$

**IP20**

24 V

120 Ad.

10 kg

36,5x29,5x31

168 mm

**NEW**

**HIGH CURRENT PROTECTED**



**10A SUPER SLIM**  
YL26-0240

**240W**  
9,25 \$

**IP20**

24 V

80 Ad.

11 kg

47x21,5x26,5

208 mm

**NEW**

**HIGH CURRENT PROTECTED**



**15A SUPER SLIM**  
YL26-0360

**360W**  
10,40 \$

**IP20**

24 V

50 Ad.

21 kg

32,5x29,5x26,5

308 mm

**NEW**

**HIGH CURRENT PROTECTED**





# 12V OUTDOOR POWER SUPPLIES

**IP67**

**3A OUTDOOR**  
YL31-0036

**36W**  
11,70 \$

**12 V**

**36 Ad.**

**7,7 kg**

**44x25x14**



30 mm 220 mm  
20 mm

**HIGH CURRENT PROTECTED**

**IP67**

**5A OUTDOOR**  
YL31-0060


**60W**  
17,10 \$

**12 V**

**40 Ad.**

**11,8 kg**

**42x21,5x17**



47 mm 162 mm  
20 mm

**HIGH CURRENT PROTECTED**

**IP67**

**10A OUTDOOR**  
YL31-0120

**120W**  
27,80 \$

**12 V**

**30 Ad.**

**14 kg**

**41x26x17**



70 mm 210 mm  
43 mm

**HIGH CURRENT PROTECTED**

**IP67**

**12.5A OUTDOOR**  
YL31-0150

**150W**  
33,70 \$

**12 V**

**20 Ad.**

**16 kg**

**41x26x17**



65 mm 212 mm  
30 mm

**HIGH CURRENT PROTECTED**

**IP67**

**16.5A OUTDOOR**  
YL31-0200

**200W**  
42,40 \$

**12 V**

**20 Ad.**

**15 kg**

**34,5x28x16**



75 mm 235 mm  
41 mm

**HIGH CURRENT PROTECTED**

**IP67**

**20A OUTDOOR**  
YL31-0250

**250W**  
45,40 \$

**12 V**

**10 Ad.**

**16 kg**

**34,5x16x27**



65 mm 233 mm  
30 mm

**HIGH CURRENT PROTECTED**

**IP67**

**25A OUTDOOR**  
YL31-0300

**300W**  
50,00 \$

**12 V**

**10 Ad.**

**14 kg**

**34,5x28x16**























































73 mm 255 mm  
40 mm

**HIGH CURRENT PROTECTED**

# EMERGENCY KIT · DRIVERS

## PLASTIC ADAPTORS

<p><b>IP20</b></p> <p> 220 V</p> <p> 50 Ad.</p> <p> 6,8 kg</p> <p> 34x23,5x19</p>	<p><b>EMERGENCY KIT ( 2200 mA )</b> YL89-3054</p> <p>3-54W 11,55 \$</p>  <p> 2 HOURS WORKS TIME Li-ON BATTERY 3,7V / 8,14Wh</p>	<p><b>IP20</b></p> <p> 12 V</p> <p> 350 Ad.</p> <p> 21 kg</p> <p> 34x33x30</p> <p> 30 mm 22mm 68 mm</p>	<p><b>1A LED STRIP POWER SUPPLY</b> YL22-1012</p> <p>12W 3,25 \$</p>  <p>HIGH CURRENT PROTECTED</p>		
<p><b>IP65</b></p> <p> 220 V</p> <p> 50 Ad.</p> <p></p> <p></p>	<p><b>SLIM PANEL DRIVER ( 600 mA )</b> YL89-0054</p> <p>40W 3,65 \$</p> 	<p><b>IP65</b></p> <p> 220 V</p> <p> 50 Ad.</p> <p></p> <p></p>	<p><b>SLIM PANEL DRIVER ( 1200 mA )</b> YL89-0064</p> <p>64W 13,15 \$</p> 		
<p><b>IP20</b></p> <p> 220 V</p> <p> 250Ad.</p> <p> 4 kg</p> <p> 42,5x28x23,5</p>	<p><b>PANEL DRIVER ( 260 mA )</b> YL89-0618</p> <p>6-18W 0,95 \$</p>  <p>WORKS WITH ALL PANEL BETWEEN 6W-18W</p>	<p><b>IP20</b></p> <p> 220 V</p> <p> 250Ad.</p> <p> 2 kg</p> <p> 42,5x28x23,5</p>	<p><b>PANEL DRIVER ( 280 mA )</b> YL89-1824</p> <p>18-24W 1,35 \$</p>  <p>WORKS WITH ALL PANEL BETWEEN 18W-24W</p>	<p><b>IP20</b></p> <p> 220 V</p> <p> 50Ad.</p> <p></p> <p></p>	<p><b>BACKLIGHT PANEL DRIVER ( 220 mA )</b> YL89-1054</p> <p>40W 3,65 \$</p>  <p>WORKS WITH ALL PANEL BETWEEN 18W-24W</p>
<p><b>IP20</b></p> <p> 12 V</p> <p> 200Ad.</p> <p></p> <p></p>	<p><b>1A PLASTIC ADAPTOR</b> YL22-0012</p> <p>12W 1,90 \$</p>  <p>NEW</p> <p>HIGH CURRENT PROTECTED</p>	<p><b>IP20</b></p> <p> 12 V</p> <p> 100Ad.</p> <p></p> <p></p>	<p><b>2A PLASTIC ADAPTOR</b> YL22-0024</p> <p>24W 2,95 \$</p>  <p>NEW</p> <p>HIGH CURRENT PROTECTED</p>	<p><b>IP20</b></p> <p> 12 V</p> <p> 100Ad.</p> <p></p> <p></p>	<p><b>4A PLASTIC ADAPTOR</b> YL22-0048</p> <p>48W 4,10 \$</p>  <p>NEW</p> <p>HIGH CURRENT PROTECTED</p>



# RGB REMOTES

**IR RGB REMOTE**  
YL27-0600

**6A**  
2,50 \$

IP20

12 V

200 Ad.

11 kg

39x30x42



**RF RGB REMOTE**  
YL27-3600

**36A**  
8,80 \$

IP20

12-24 V

100 Ad.

12 kg

40x20,5x37



**RF TOUCH RGB REMOTE**  
YL27-3601

**36A**  
14,65 \$

IP20

12-24 V

100 Ad.

16,5 kg

44x44x37



**RGB REPEATER**  
YL26-0036

**36A**  
6,45 \$

IP20

12-24 V

200 Ad.

23 kg

43,5x33x37



**RF MINI REMOTE**  
YL27-1201

**12A**  
3,75 \$

IP20

5-24 V

100 Ad.

2,6 kg

29x17x10



**RF DIMMER REMOTE**  
YL25-1201

**12A**  
3,75 \$

IP20

5-24 V

100 Ad.

2,6 kg

29x17x10



**RF TOUCH DIMMER REMOTE**  
YL25-3600

**36A**  
27,80 \$

IP20

12-24 V

50 Ad.

12 kg

44,5x25,5x33,5



**FINGER DIMMER FLASHER**  
YL25-1200


**12A**  
2,60 \$

IP20

12 V

100 Ad.

1 kg



**FINGER REPEATER**  
YL26-0012


**12A**  
2,60 \$

IP20

12 V

100 Ad.

1 kg



# MULTIFUNCTIONAL REMOTES WIRELESS DOORBELLS · CAT 6 · FIBER OPTIC CABLES

**3 CHANNEL**  
YL27-1003

3x1000W  
7,75 \$

220 V

100 Ad.

13,3 kg

68x29x33

Kontrol Mesafesi  
15-20m

**NEW**



**4 CHANNEL**  
YL27-1004

4x1000W  
10,10 \$

220 V

100 Ad.

13,3 kg

68x29x33

Kontrol Mesafesi  
15-20m

**NEW**



**5 CHANNEL**  
YL27-1005

5x1000W  
13,00 \$

220 V

100 Ad.

13,3 kg

68x29x33

Kontrol Mesafesi  
15-20m

**NEW**



**6 CHANNEL**  
YL27-1006

6x1000W  
14,60 \$

220 V


100 Ad.

13,3 kg

68x29x33

Kontrol Mesafesi  
15-20m

**NEW**



**LIBERTA DOOR BELLS**  
YL03-2531

11,70 \$

100m

RF

IP20

50 Ad.

9,1 kg

54x41x25

**NEW**

36 Melodi Seçeneği  
**MEMORY**



**BELLA DOOR BELLS**  
YL03-2511

8,20 \$

100m

RF

IP20

50 Ad.

11,5 kg

45x28,5x29

36 Melodi Seçeneği  
**MEMORY**

30 mm, 15 mm, 60 mm, 80 mm, 45 mm

**NEW**



**BELLA DOOR BELLS DUAL**  
YL03-2521

10,25 \$

100m

RF

IP20

50 Ad.

11,5 kg

45x28,5x29

36 Melodi Seçeneği  
**MEMORY**

30 mm, 15 mm, 60 mm, 80 mm, 45 mm

**NEW**



**ÇİAO DOOR BELLS**  
YL03-2501

8,20 \$

100m

RF

IP20

50 Ad.

11,5 kg

45x28,5x29

36 Melodi Seçeneği  
**MEMORY**

75 mm, 90 mm, 45 mm, 15 mm

**NEW**



**FIBER OPTIC CABLE**  
YL01-0100

0,105 \$

77,5x52x13


30 kg

1000m

KOLİ: 6x1000m

**NEW**

LSZH 9/125 2.00mm G657 A2



**CAT 6 DATA CABLE**  
YL-C006

0,245 \$

46x39x39,5

16 kg

305m

KOLİ: 610m

4PR 23 AWG

**NEW**





# LED SOLAR STREET LUMINAIRES

**SOLAR STREET LUMINAIRE**  
YL73-0050-S

**50W**  
35,10 \$

6500K

**IP65**

**4000 LÜMEN**

SMD

10 Ad.

10 kg

33,5x31x41

PHOTOCELL WITH SENSOR

**NEW**

REAL BATTERY TIME

5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 60 m<sup>2</sup>

**SOLAR STREET LUMINAIRE**  
YL73-0100-S

**100W**  
49,75 \$

6500K

**IP65**

**8000 LÜMEN**

SMD

10 Ad.

13 kg

33,5x40x41

PHOTOCELL WITH SENSOR

**NEW**

REAL BATTERY TIME

5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 80 m<sup>2</sup>

**SOLAR STREET LUMINAIRE**  
YL73-0150-S

**150W**  
58,50 \$

6500K

**IP65**

**12000 LÜMEN**

SMD

10 Ad.

16 kg

33,5x52x41

PHOTOCELL WITH SENSOR

**NEW**

REAL BATTERY TIME

5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 120 m<sup>2</sup>

**SOLAR STREET LUMINAIRE**  
YL73-0200-S

**200W**  
70,25 \$

6500K

**IP65**

**16000 LÜMEN**

SMD

10 Ad.

22 kg

33,5x62x41

PHOTOCELL WITH SENSOR

**NEW**

REAL BATTERY TIME

5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 150 m<sup>2</sup>

# LED SOLAR STREET LUMINAIRE

## SOLAR STREET LUMINAIRE YL73-0250-S

250W  
81,90 \$

6500K

IP65



NEW


20000  
LÜMEN



10 Ad.

23 kg

72,5x33,5x41



5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 180 m<sup>2</sup>

## SOLAR STREET LUMINAIRE YL73-0300-S

300W  
98,00 \$

6500K

IP65



NEW


24000  
LÜMEN



10 Ad.

27 kg

81,5x33,5x41



5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 200 m<sup>2</sup>

## UFO SOLAR STREET LUMINAIRE YL73-0500-S

500W  
138,00 \$

6500K

IP65





40000  
LÜMEN



10 Ad.

19 kg

57x46x57



FOTOCELLI  
SENSÖRLÜ



NEW



5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

STAND BY MODE  
(50% LIGHTING IN MOTIONLESS ENVIRONMENTS)  
LIGHTING UP TO 300 m<sup>2</sup>



# LED STREET LUMINAIRES

<p><b>STREET LUMINAIRE</b> YL73-0030</p> <p><b>30W</b> 18,85 \$</p> <p>6500K</p> <p><b>IP65</b></p> <p>220 V</p> <p>3000 LÜMEN</p> <p>SMD</p> <p>20 Ad.</p> <p>IC Technology</p> <p>10 kg</p> <p>50x28x34,5</p> <p>123 mm 310 mm</p>  	<p><b>STREET LUMINAIRE</b> YL73-0060</p> <p><b>60W</b> 24,60 \$</p> <p>6500K</p> <p><b>IP65</b></p> <p>220 V</p> <p>6000 LÜMEN</p> <p>SMD</p> <p>20 Ad.</p> <p>IC Technology</p> <p>16 kg</p> <p>57x30,5x43</p> <p>139 mm 398 mm</p>  	<p><b>STREET LUMINAIRE</b> YL73-0090</p> <p><b>90W</b> 39,50 \$</p> <p>6500K</p> <p><b>IP65</b></p> <p>220 V</p> <p>9000 LÜMEN</p> <p>SMD</p> <p>10 Ad.</p> <p>IC Technology</p> <p>15 kg</p> <p>55,5x34,5x40</p> <p>183 mm 525 mm</p>  
--	---	---

<p><b>STREET LUMINAIRE</b> YL73-0120</p> <p><b>120W</b> 52,50 \$</p> <p>6500K</p> <p><b>IP65</b></p> <p>220 V</p> <p>12000 LÜMEN</p> <p>SMD</p> <p>10 Ad.</p> <p>IC Technology</p> <p>16,5 kg</p> <p>65x39x41,5</p> <p>188 mm 620 mm</p>  	<p><b>STREET LUMINAIRE</b> YL73-0150</p> <p><b>150W</b> 69,00 \$</p> <p>6500K</p> <p><b>IP65</b></p> <p>220 V</p> <p>15000 LÜMEN</p> <p>SMD</p> <p>10 Ad.</p> <p>IC Technology</p> <p>18 kg</p> <p>67x40,5x48</p> <p>220 mm 640 mm</p>  
--	--

# LED GARDEN & SOLAR LUMINAIRES

**IP65**

**GARDEN LUMINAIRE**  
YL74-0501

**5W**

**5,85 \$**

6500K 3200K BLUE  
RED GREEN AMBER

450 LÜMEN

COB

50 Ad.

9,6 kg

40x35x35

235 mm



**IP65**

**GARDEN LUMINAIRE**  
YL74-1002

**10W**

**12,00 \$**

3200K GREEN AMBER

900 LÜMEN

COB

30 Ad.

10,9 kg

52x32x33

255 mm



**IP65**

**SOLAR GARDEN LUMINAIRE**  
YL74-0701-S

**7W**

**17,60 \$**

6500K 3200K BLUE  
GREEN AMBER

105 LÜMEN

SMD


20 Ad.

8,6 kg

77,5x42,5x23

405 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME



**IP65**

**SOLAR GARDEN LUMINAIRE**  
YL74-1002-S

**10W**

**21,40 \$**

3200K GREEN AMBER

150 LÜMEN

SMD

20 Ad.

7,4 kg


64,5x34x27,5

395 mm

RGB

**33,00 \$**

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME



**IP65**

**SOLAR GARDEN LUMINAIRE**  
YL74-1502-S

**15W**

**28,00 \$**

3200K GREEN AMBER

225 LÜMEN

SMD

20 Ad.

11,5 kg

59x37,5x43,5

640 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME



# LED DECORATIVE SCONCES

**MALAGA**  
YL85-1501

**5W**  
19,60 \$

IP20 220 V

450 LÜMEN SMD


7 kg

20 Ad. 62x34,5x25,5

225 mm

6500K 3200K

SWITCH



**BARCELONA**  
YL85-1701

**7W**  
21,40 \$

IP20 220 V

630 LÜMEN SMD

5 kg

10 Ad. 43x34x32

400 mm

6500K 3200K

SWITCH



**SEVILLA**  
YL85-2501

**5W**  
27,20 \$

IP20 220 V

450 LÜMEN SMD

7 kg

20 Ad. 62x34,5x25,5

225 mm

6500K 3200K

SWITCH



**MADRID**  
YL85-2701

**7W**  
30,75 \$

IP20 220 V

630 LÜMEN SMD

5 kg

10 Ad. 43x34x32

400 mm

6500K 3200K

SWITCH



**LEON (CHROME)**  
YL85-2712

**7W**  
25,60 \$

IP20 220 V

630 LÜMEN SMD

5,2 kg

10 Ad. 41,5x35x32

420 mm

3200K

SWITCH



**VALENCIA (GOLD)**  
YL85-2722

**7W**  
35,85 \$

IP20 220 V

630 LÜMEN SMD

5,2 kg

10 Ad. 41,5x35x32

420 mm

3200K

SWITCH



**GRANADA (BRONZE)**  
YL85-2732

**7W**  
35,85 \$

IP20 220 V

630 LÜMEN SMD


5,2 kg

10 Ad. 41,5x35x32

420 mm

3200K

SWITCH



# LED DECORATIVE SCONCES

**CORDOBA**  
YL85-0302

**3W**  
16,10 \$

IP20 220 V

270 LÜMEN COB

20 Ad. 45x32,5x21

6,3 kg

50 mm 100 mm 26 mm

SWITCH

**BILBAO (CHROME)**  
YL85-1801

**8W**  
21,95 \$

IP20 220 V

720 LÜMEN SMD

10 Ad. 44,5x29x22

3,9 kg

400 mm

SWITCH

6500K 3200K

**RONDA (BLACK)**  
YL85-0732

**3+7W**  
23,40 \$

IP20 220 V

810 LÜMEN SMD

20 Ad. 41,5x22,5x39

10,5 kg

180 mm 100 mm > 31 mm

SWITCH

**RONDA (WHITE)**  
YL85-1732

**3+7W**  
23,40 \$

IP20 220 V

810 LÜMEN SMD

20 Ad. 41,5x22,5x39

10,5 kg

180 mm 100 mm > 31 mm

SWITCH

**İBİZA**  
YL85-0802

**8W**  
25,00 \$

IP20 220 V

720 LÜMEN SMD

10 Ad. 58x33,5x29

5,9 kg

550 mm

ANAHTARLI

**MARİS**  
YL83-4002

**3W**  
13,50 \$

IP20 220 V

270 LÜMEN SMD

50 Ad. 54,5x44,5x23

9 kg

53 mm 70 mm

NEW

**DARA (BLACK)**  
YL83-3002

**5W**  
17,00 \$

IP20 220 V

450 LÜMEN COB

50 Ad. 77x37x33

22 kg

140 mm 70 mm

NEW

**DARA (WHITE)**  
YL83-3012

**5W**  
17,00 \$

IP20 220 V

450 LÜMEN COB

50 Ad. 77x37x33

22 kg

140 mm 70 mm

NEW



# LED OUTDOOR SCONCES

<p><b>IP65</b> <b>220 V</b></p> <p><b>900 LÜMEN</b> <b>COB</b></p> <p>30 Ad. 54,5x29x43,5</p> <p>8 kg</p> <p>100 mm 200 mm 100 mm</p>	<p><b>PATARA</b> YL83-1002</p> <p><b>10W</b> <b>11,70 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>	<p><b>IP65</b> <b>220 V</b></p> <p><b>540 LÜMEN</b> <b>COB</b></p> <p>50 Ad. 45x35x32</p> <p>11 kg</p> <p>28 mm 144 mm 80 mm</p>	<p><b>ZEUGMA</b> YL83-6002</p> <p><b>6W</b> <b>7,20 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>
---	---	--	---

<p><b>IP65</b> <b>220 V</b></p> <p><b>900 LÜMEN</b> <b>SMD</b></p> <p>60 Ad. 57x34x60</p> <p>17 kg</p> <p>105 mm 100 mm 95 mm</p>	<p><b>TROYA</b> YL83-2002</p> <p><b>10W</b> <b>11,50 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>	<p><b>IP65</b> <b>220 V</b></p> <p><b>900 LÜMEN</b> <b>SMD</b></p> <p>60 Ad. 57x34x60</p> <p>18,8 kg</p> <p>105 mm 100 mm 95 mm</p>	<p><b>OLİMPUS</b> YL83-2012</p> <p><b>10W</b> <b>11,50 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>
---	--	---	--

<p><b>IP44</b> <b>220 V</b></p> <p><b>630 LÜMEN</b> <b>SMD</b></p> <p>40 Ad. 71,5x29x31</p> <p>11 kg</p> <p>67 mm 100 mm</p>	<p><b>ASPENDOS</b> YL83-5002</p> <p><b>7W</b> <b>12,30 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>	<p><b>IP44</b> <b>220 V</b></p> <p><b>630 LÜMEN</b> <b>SMD</b></p> <p>40 Ad. 71,5x29x31</p> <p>12,5 kg</p> <p>67 mm 100 mm</p>	<p><b>KNİDOS</b> YL83-2022</p> <p><b>7W</b> <b>12,30 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>
--	--	--	--

<p><b>IP65</b> <b>220 V</b></p> <p><b>1080 LÜMEN</b> <b>SMD</b></p> <p>50 Ad. 65x43,5x36</p> <p>15,5 kg</p> <p>100 mm 70 mm 100 mm</p>	<p><b>PERGAMON</b> YL83-2032</p> <p><b>12W</b> <b>12,30 \$</b></p> <p>3200K</p> <p><b>NEW</b></p>
--	---

# LED OUTDOOR SCONCES

<b>IP65</b>  <b>220 V</b> 	<b>ASSOS</b> YL83-6012	<b>10W</b> <b>10,85 \$</b>  3200K	<b>IP44</b>  <b>220 V</b> 	<b>BERGAMA</b> YL83-1042	<b>6W</b> <b>23,70 \$</b>  3200K
<b>900 LÜMEN</b>  <b>SMD</b> 	 <b>ADJUSTABLE LIGHT ANGLE</b> 	<b>540 LÜMEN</b>  <b>SMD</b> 	 	<b>50 Ad.</b>  <b>57x24x57</b> 	<b>30 Ad.</b>  <b>37x36x38,5</b> 
<b>8,5 kg</b>  <b>98 mm</b>  <b>100 mm</b> 		<b>15,5 kg</b>  <b>62 mm</b>  <b>110 mm</b> 			
<b>NEW</b>		<b>NEW</b>			
<b>CREE LED</b>					

<b>IP65</b>  <b>220 V</b> 	<b>EFES 3+3</b> YL83-1012	<b>6W</b> <b>7,00 \$</b>  3200K	<b>IP65</b>  <b>220 V</b> 	<b>EFES 4+4</b> YL83-1062	<b>8W</b> <b>8,80 \$</b>  3200K
<b>540 LÜMEN</b>  <b>SMD</b> 	 	<b>720 LÜMEN</b>  <b>SMD</b> 	 	<b>60 Ad.</b>  <b>57x27x37,5</b> 	<b>60 Ad.</b>  <b>57x27x45</b> 
<b>13 kg</b>  <b>52,5 mm</b>  <b>110 mm</b> 		<b>15,6 kg</b>  <b>80 mm</b>  <b>270 mm</b> 			
<b>NEW</b>		<b>NEW</b>			

<b>IP65</b>  <b>220 V</b> 	<b>MİRA</b> YL83-1032	<b>6W</b> <b>23,40 \$</b>  3200K	<b>IP65</b>  <b>220 V</b> 	<b>PERGE ( EMPTY CASE )</b> YL83-1022	<b>8,10 \$</b>
<b>540 LÜMEN</b>  <b>SMD</b> 	 	<b>50 Ad.</b>  <b>45x39x34</b> 	 	<b>50 Ad.</b>  <b>42,5x42,5x34</b> 	<b>NEW</b>
<b>22 kg</b>  <b>80 mm</b>  <b>100 mm</b>  <b>67 mm</b> 		<b>13,3 kg</b>  <b>80 mm</b>  <b>100 mm</b>  <b>65 mm</b> 			
<b>NEW</b>					

<b>IP44</b>  <b>220 V</b> 	<b>ALİDA</b> YL83-1052	<b>4W</b> <b>8,80 \$</b>  3200K	
<b>360 LÜMEN</b>  <b>SMD</b> 	 	<b>50 Ad.</b>  <b>47,5x32,5x20,5</b> 	<b>NEW</b>
<b>7 kg</b>  <b>70 mm</b>  <b>60 mm</b> 			

# LED SOLAR SCONCES

**VESTA**  
YL84-6001-S

**5W**  
17,55 \$

3200K

**IP65**

400 LÜMEN

SMD

160 Ad.

16 kg

44,5x33x30,5

100 mm

53 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

**NEW**




**QUA**  
YL84-3001-S

**5W**  
10,40 \$

3200K

**IP65**

400 LÜMEN

SMD

144 Ad.

13 kg

48,5x28x39,7

80 mm

73 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

**NEW**




**MİMAS**  
YL84-8001-S

**5W**  
9,50 \$

3200K

**IP65**

400 LÜMEN

SMD

240 Ad.

16,5 kg



38,5x33,5x42,5

100 mm

53 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

**NEW**

**TİTAN**  
YL84-1001-S

**50W**  
8,80 \$

6500K

**IP65**

4000 LÜMEN

SMD

100 Ad.

17,5 kg

57x32x52

133 mm

85 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

SENSOR

**NEW**




**NEPTÜN**  
YL84-2001-S

**20W**  
8,35 \$

6500K

**IP65**

1600 LÜMEN

SMD

100 Ad.

14,5 kg

53x29x53



95 mm

74 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

SENSOR

**NEW**

**PLÜTON**  
YL84-4001-S

**40W**  
12,60 \$

6500K

**IP65**

3200 LÜMEN

SMD

100 Ad.

24,5 kg

64,5x38x52

195 mm

74 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

SENSOR

**NEW**






# LED SOLAR SCONCES

**IP65**

**MERKÜR**  
YL74-3301-S

**30W**  
**32,20 \$**

2400 LÜMEN

SMD

40 Ad.

13,5 kg

44x34,5x44

206 mm  
67 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

3200K

**NEW**




**IP65**

**VENÜS**  
YL74-0100-S

**50W**  
**43,90 \$**

4000 LÜMEN

SMD

12 Ad.

10 kg

52,5x46x40

206 mm  
160 mm  
202 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

3 FONKSİYON

**NEW**





**IP65**

**SATÜRN**  
YL74-1701-S

**5W**  
**20,50 \$**

400 LÜMEN

SMD

72 Ad.

14 kg



48,5x28x41

120 mm  
35 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

3200K

**NEW**

**IP65**

**URANÜS**  
YL74-8001-S

**5W**  
**5,40 \$**

400 LÜMEN

SMD

96 Ad.

14,5 kg

39,5x26,5x54

115 mm  
102 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

6500K 3200K

**NEW**




**IP65**

**MİRANDA**  
YL74-1021-S

**7W**  
**8,80 \$**

560 LÜMEN

SMD

108 Ad.

23 kg

60,5x42,5x54

115 mm  
400 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

6500K 3200K

**NEW**




**IP65**

**ARIEL**  
YL74-1011-S

**15W**  
**23,40 \$**

1200 LÜMEN

SMD

20 Ad.

9,8 kg

67x34,5x33

140 mm  
655 mm

REAL BATTERY TIME  
5 HOURS CHARGE TIME  
6-8 HOURS WORK TIME

6500K 3200K

**NEW**




# TABLE LAMPS

**BERLİN**  
YL86-1000

IP20  
220 V  
E27  
20 Ad.  
11,35 kg  
75x31x37

115 mm  
115 mm  
310 mm  
120 mm

**BLACK**

**RED** **BLUE** **YELLOW** **WHITE**

7,30 \$

**MÜNİH**  
YL86-1210

IP20  
220 V  
E27  
10 Ad.  
14,15 kg  
74x42,5x29,5

230 mm  
230 mm  
135 mm  
132 mm  
155 mm

**BLACK**  
19,15 \$

**WHITE**  
19,15 \$

**BRONZE**  
22,80 \$

**KÖLN ( CLAMP )**  
YL86-1310

IP20  
220 V  
E27  
10 Ad.  
8,7 kg  
73x32,5x42

330 mm  
330 mm  
135 mm  
132 mm  
Max: 47 mm  
120 mm

**BLACK**  
19,15 \$

**WHITE**  
19,15 \$

**BRONZE**  
22,80 \$

TABLE ASSEMBLY APPARATUS

**BANKER**  
YL86-1511

IP20  
220 V  
E27  
1 Ad.  
2,4 kg  
28x21x37

375 mm  
180 mm

**GOLD**  
43,90 \$

**BRONZE**  
43,90 \$

# RECHARGEABLE TABLE LAMPS

**SUNSET**

48,00 \$      45,00 \$      48,00 \$

3200K

**NEW**

TOUCH DIMMABLE

RECHARGEABLE

MICRO USB SOCKET

**IP20**

3,7 V

SMD

9,5 kg

20 Ad.

66,5x53,5x28,5

125 mm

255 mm

**BRONZE**  
YL86-1602

**MATTE BLACK**  
YL86-1600

**SILVER**  
YL86-1601

**GALATA**

48,00 \$      45,00 \$      48,00 \$

3200K

**NEW**

TOUCH DIMMABLE

RECHARGEABLE

MICRO USB SOCKET

**IP20**

3,7 V

SMD

9,5 kg

20 Ad.

66,5x53,5x28,5

128 mm

255 mm

**BRONZE**  
YL86-1702

**MATTE BLACK**  
YL86-1700

**CHROME**  
YL86-1701

**NOA**

48,00 \$      45,00 \$      48,00 \$

3200K

**NEW**

TOUCH DIMMABLE

RECHARGEABLE

MICRO USB SOCKET

**IP20**

3,7 V

SMD

9,5 kg

20 Ad.

66,5x53,5x28,5

110 mm

255 mm

**BRONZE**  
YL86-1802

**MATTE BLACK**  
YL86-1800

**SILVER**  
YL86-1801



# LED WALLWASHERS

**IP65**

**10 CM WALLWASHER**  
YL79-0301

**3W**  
**24,00 \$**

**270 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**1 Ad.**



**IP65**

**20 CM WALLWASHER**  
YL79-0601

**6W**  
**29,80 \$**

**540 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**47,00 \$**



**IP65**

**30 CM WALLWASHER**  
YL79-0901

**9W**  
**36,50 \$**

**810 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**52,00 \$**



**IP65**

**35 CM WALLWASHER**  
YL79-1201

**12W**  
**44,00 \$**

**1080 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**56,00 \$**



**IP65**

**50 CM WALLWASHER**  
YL79-1801

**18W**  
**56,00 \$**

**1620 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**74,00 \$**



**IP65**

**70 CM WALLWASHER**  
YL79-2401

**24W**  
**72,00 \$**

**2160 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**87,00 \$**



**IP65**

**100 CM WALLWASHER**  
YL79-3601

**36W**  
**92,00 \$**

**3240 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**

**RGB**  
**110,00 \$**



**IP65**

**120 CM WALLWASHER**  
YL79-4501

**45W**  
**132,00 \$**

**4050 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**



**IP65**

**150 CM WALLWASHER**  
YL79-5401

**54W**  
**160,00 \$**

**4860 LÜMEN**

6500K 4000K 3200K  
BLUE RED GREEN AMBER

**220V**

**SMD**



# LED GARDEN AND POOL LUMINAIRES

**GROUNDLED LUMINAIRE**  
YL72-0301

**3W**  
49,00 \$

IP68 220 V

270 LÜMEN POWER LED

20 Ad.

100 mm  
80 mm  
95 mm

6500K 3200K BLUE  
RED GREEN AMBER  
4000K



**GROUNDLED LUMINAIRE**  
YL72-0901

**9W**  
85,00 \$


IP68 220 V

810 LÜMEN POWER LED

10 Ad.

150 mm  
85 mm  
125 mm

6500K 3200K BLUE  
RED GREEN AMBER  
4000K



**GROUNDLED LUMINAIRE**  
YL72-1801

**18W**  
152,00 \$

IP68 220 V

1620 LÜMEN POWER LED

5 Ad.

215 mm  
90 mm  
205 mm

6500K 3200K BLUE  
RED GREEN AMBER  
4000K



**GARDEN LUMINAIRE**  
YL74-0901

**9W**  
64,00 \$

IP67 220 V

810 LÜMEN POWER LED

5 Ad.

120 mm  
145 mm

6500K 3200K BLUE  
RED GREEN AMBER  
4000K

RGB

75,00 \$



**GARDEN LUMINAIRE**  
YL74-1801

**18W**  
108,00 \$

IP67 220 V

1620 LÜMEN POWER LED

5 Ad.

180 mm  
180 mm

6500K 3200K BLUE  
RED GREEN AMBER  
4000K

RGB

120,00 \$



**LED RECESSED MOUNTED POOL LUMINAIRE (EMPTY CASE)**  
YL72-4000

**48,00 \$**

IP68

PAR56

225mm inside diameter  
300mm frame diameter.

**NEW**



**LED SURFACE MOUNTED POOL LUMINAIRE**  
YL72-4001

**36W**  
74,00 \$

IP67

12 V

3240 LÜMEN

SMD

6500K 3200K BLUE  
RGB

79,00 \$

**NEW**

provided by SAMSUNG



**LED POOL BULB**  
YL72-5001

**30W**  
48,00 \$

IP67

12 V

2700 LÜMEN

SMD

PAR56

6500K 3200K BLUE  
RGB

53,00 \$

**NEW**

provided by SAMSUNG



# LED LINEAR LUMINAIRES

( MANUFACTURABLE DESIRED SIZE )

**SURFACE MOUNTED LENSED PENDANT LINEAR LUMINAIRE**  
( 3x4 cm PROFIL )  
YL76-3701-M

OSRAM LED TRIDONIC DRIVER

IP20  
220 V  
SMD

NEW

6500K 4000K 3200K

23W 66 CM	102,00 \$
40W 120 CM	142,00 \$
60W 173 CM	185,00 \$
75W 225 CM	240,00 \$




**RECESSED MOUNTED LENSED LINEAR LUMINAIRE**  
( 3,5x4,2 cm PROFILE )  
YL76-3601-M

OSRAM LED TRIDONIC DRIVER

IP20  
220 V  
SMD

NEW

6500K 4000K 3200K

23W 66 CM	84,00 \$
40W 120 CM	125,00 \$
60W 173 CM	175,00 \$
75W 225 CM	230,00 \$




**PENDANT LINEAR LUMINAIRE**  
( 5x8 cm PROFİL )  
YL76-3601


OSRAM LED TRIDONIC DRIVER

IP20  
220 V  
SMD

6500K 4000K 3200K

40W 100 CM	68,50 \$
50W 120 CM	82,00 \$
60W 150 CM	100,00 \$
70W 200 CM	131,00 \$

1W = 120 LÜMEN  
PAINTABLE DESIRED COLOR



**PENDANT SQUARE LINEAR LUMINAIRE**  
( 5x8 cm PROFİL )  
YL77-6061


OSRAM LED TRIDONIC DRIVER

IP20  
220 V  
SMD

6500K 4000K 3200K

75W 60x60 CM	192,50 \$
100W 80x80 CM	255,00 \$
130W 100x100 CM	320,00 \$
155W 120x120 CM	384,00 \$

1W = 120 LÜMEN  
PAINTABLE DESIRED COLOR



**PENDANT RING LINEAR LUMINAIRE** ( 5x5 cm PROFİL )  
YL77-5001


OSRAM LED TRIDONIC DRIVER

IP20  
220 V  
SMD

6500K 4000K 3200K

50W 50 CM	162,00 \$
70W 70 CM	235,00 \$
90W 90 CM	300,00 \$
110W 110 CM	365,00 \$

1W = 120 LÜMEN  
PAINTABLE DESIRED COLOR



**3 ADA LINEAR LUMINAIRE (SURFACE MOUNTED)**  
YL78-3100

100W  
355,00 \$

6500K 4000K 3200K

500 mm  
400 mm  
750 mm  
300 mm  
950 mm






# LED ARTLINE SCONCES

<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-5000</p> <p>8W</p> <p>48,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-0250</p> <p>25W</p> <p>104,00 \$</p> <p>6500K 4000K 3200K</p>		
<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-2000</p> <p>20W</p> <p>71,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-1500</p> <p>15W</p> <p>68,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-1000</p> <p>10W</p> <p>61,00 \$</p> <p>6500K 4000K 3200K</p>
<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-0015</p> <p>15W</p> <p>68,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-0016</p> <p>15W</p> <p>70,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-0025</p> <p>25W</p> <p>130,00 \$</p> <p>6500K 4000K 3200K</p>
<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-1020</p> <p>20W</p> <p>74,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-0020</p> <p>20W</p> <p>88,00 \$</p> <p>6500K 4000K 3200K</p>	<p>IP20</p> <p>220 V</p> <p>SMD</p>	<p>YL85-1120</p> <p>20W</p> <p>74,00 \$</p> <p>6500K 4000K 3200K</p>

# DECORATIVE PENDANTS

**BLACK CASE**  
YL-MR-332

35,10 \$

IP20

E27

1 Ad.

300-1100 mm  
190 mm

**BLACK CASE**  
YL-189BLACK-S

26,00 \$

IP20

E27

1 Ad.

270-1070 mm  
220 mm

**BLACK CASE**  
YL-250-S

28,00 \$

IP20

E27

1 Ad.

320-1080 mm  
240 mm

**BLACK CASE**  
YL-251-S

24,50 \$

IP20

E27

1 Ad.

370-1170 mm  
190 mm

**BLACK CASE**  
YL-182BLACK-S

27,00 \$

IP20

E27

1 Ad.

290-1090 mm  
220 mm

**GOLD CASE**  
YL-182VINTAGE-S

27,00 \$

IP20

E27

1 Ad.

290-1090 mm  
220 mm

**BLACK CASE**  
YL-180BLACK-S

26,00 \$

IP20

E27

1 Ad.

290-1090 mm  
220 mm

**BLACK CASE**  
YL-252-S

33,50 \$

IP20

E27

1 Ad.

340-1140 mm  
200 mm

**BLACK CASE**  
YL-183BLACK-S

31,00 \$

IP20

E27

1 Ad.

290-1090 mm  
220 mm

**BLACK CASE**  
YL-196BLACK-S

38,50 \$

IP20

E27

1 Ad.

370-1170 mm  
210 mm

**BLACK CASE**  
YL-6362

28,00 \$

IP20

E27

1 Ad.

390-1140 mm  
140 mm

**GOLD CASE**  
YL-180VINTAGE-S

26,00 \$

IP20

E27

1 Ad.

310-1110 mm  
220 mm

# DECORATIVE PENDANTS

**BLACK CASE**  
YL-187BLACK-S **49,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-MR-643 **26,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-226-S **49,00 \$**

IP20  
E27  
1 Ad.




**GOLD CASE**  
YL-228-S **67,50 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-641-S **33,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-3541 **36,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-229-S **37,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-200-S **46,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-207-S **47,50 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-3716 **56,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-205-S **56,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-206-S **43,00 \$**

IP20  
E27  
1 Ad.






# DEKORATİF SARKITLAR

**IP20**  
**E27**  
**1 Ad.**

**BRONZE CASE**  
YL-211-S

**57,00 \$**



430-1230 mm  
300 mm

**IP20**  
**E27**  
**1 Ad.**

**BLACK CASE**  
YL-3901

**63,00 \$**



380 mm  
260 mm

**IP20**  
**E27**  
**1 Ad.**

**BLACK CASE**  
YL-NUS-2641

**51,00 \$**



360 mm  
360 mm

**IP20**  
**E27**  
**1 Ad.**

**GOLD CASE**  
YL-NUS-2081

**19,50 \$**



1110 mm  
150 mm  
40 mm

**IP20**  
**E27**  
**1 Ad.**

**GOLD CASE**  
YL-NUS-2076

**24,00 \$**



1260 mm  
300 mm  
40 mm

**IP20**  
**E27**  
**1 Ad.**

**GOLD CASE**  
YL-NUS-2072

**26,50 \$**



430-1390 mm  
40 mm

**IP20**  
**E27**  
**1 Ad.**

**BLACK CASE**  
YL-MR-306

**39,00 \$**



370-1170 mm  
300 mm

**IP20**  
**E27**  
**1 Ad.**

**BLACK CASE**  
YL-MR-757

**37,50 \$**



380-1280 mm  
320 mm

**IP20**  
**E27**  
**1 Ad.**

**SILVER CASE**  
YL-209-S

**48,00 \$**



360-1260 mm  
350 mm

**IP20**  
**E27**  
**1 Ad.**

**WHITE CASE**  
YL-MR-625

**40,00 \$**



370-1170 mm  
300 mm

**IP20**  
**E27**  
**1 Ad.**

**YELLOW CASE**  
YL-3729

**57,00 \$**



460-800 mm  
310 mm

**IP20**  
**E27**  
**1 Ad.**

**BLACK CASE**  
YL-3081

**48,00 \$**



330-1310 mm  
340 mm

# DECORATIVE SCONCES

**BLACK CASE**  
YL-182BLACK-A

33,50 \$

IP20

E27

1 Ad.

230 mm  
420 mm

**BLACK CASE**  
YL-252-A

41,00 \$

IP20

E27

1 Ad.

250 mm  
260 mm

**BLACK CASE**  
YL-1039

52,00 \$

IP20

E27

1 Ad.

**BLACK CASE**  
YL-1040

37,50 \$

IP20

E27

1 Ad.

**GOLD CASE**  
YL-3092

38,00 \$

IP20

E27

1 Ad.

330 mm  
230 mm

**BLACK CASE**  
YL-3091

36,00 \$

IP20

E27

1 Ad.

330 mm  
230 mm

**BLACK CASE**  
YL-616-A

135,00 \$

IP20

E27

1 Ad.

750 mm  
350 mm

**GOLD CASE**  
YL-619-A

85,00 \$

IP20

E27

1 Ad.

750 mm  
350 mm

**BLACK CASE**  
YL-NUW-3201

29,00 \$

IP20

G9

1 Ad.

340 mm  
340 mm

**WHITE CASE**  
YL-NUW-3202

29,00 \$

IP20

G9

1 Ad.

340 mm  
340 mm

# DECORATIVE SCONCES

**IP20**  
**BLACK CASE**  
YL-3741

52,00 \$

**E27**

1 Ad.

450 mm

**IP20**  
**BLACK CASE**  
YL-180BLACK-A

32,00 \$

**E27**

1 Ad.

270 mm

**IP20**  
**BLACK CASE**  
YL-3434

17,50 \$

**E27**

1 Ad.

150mm  
200mm

**IP20**  
**BLACK CASE**  
YL-MR-838

34,00 \$

**E27**

1 Ad.

350 mm  
100 mm

**IP20**  
**BLACK CASE**  
YL-3742

43,00 \$

**E27**

1 Ad.

280mm  
120mm

**IP20**  
**GOLD CASE**  
YL-182VINTAGE-A

34,00 \$

**E27**

1 Ad.

230 mm  
420 mm

**IP20**  
**BLACK CASE**  
YL-MR-735

22,00 \$

**E27**

1 Ad.

130mm  
100mm

**IP20**  
**WHITE CASE**  
YL-MR-736

22,00 \$

**E27**

1 Ad.

130mm  
100mm

**IP20**  
**BLACK CASE**  
YL-MR-876

39,00 \$

**E27**

1 Ad.

100mm

**IP20**  
**BLACK CASE**  
YL-705-A

36,00 \$

**E27**

1 Ad.

160 mm



# DECORATIVE SCONCES

**BLACK CASE**  
YL-185BLACK-A **32,00 \$**

IP20  
E27  
1 Ad.

460 mm  
300 mm

**BLACK CASE**  
YL-579-A **59,00 \$**

IP20  
E14  
1 Ad.

400 mm  
80 mm

**GOLD CASE**  
YL-1038 **49,00 \$**

IP20  
E27  
1 Ad.

**BLACK CASE**  
YL-N-1238 **34,00 \$**

IP20  
E27  
1 Ad.

220 mm  
200 mm

**GOLD CASE**  
YL-6346 **45,00 \$**

IP20  
E27  
1 Ad.

220 mm  
250 mm

**BLACK CASE**  
YL-6347 **45,00 \$**

IP20  
E27  
1 Ad.

220 mm  
250 mm

**BLACK CASE**  
YL-6381 **39,00 \$**

IP20  
E27  
1 Ad.

230 mm  
220 mm

**GOLD CASE**  
YL-6382 **39,00 \$**

IP20  
E14  
1 Ad.

230 mm  
220 mm

**BLACK CASE**  
YL-N-663 **45,00 \$**

IP20  
E27  
1 Ad.

28 cm  
18 cm  
24 cm

# DECORATIVE SCONCES

**BLACK CASE**  
YL-MR-843 **29,00 \$**

IP20  
E27  
1 Ad.




**GOLD CASE**  
YL-4651 **39,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-N-680 **39,00 \$**

IP20  
E27  
1 Ad.




**BLACK CASE**  
YL-MR-816 **36,50 \$**

IP20  
E14  
1 Ad.






**BRONZE CASE**  
YL-184VINTAGE-A **33,00 \$**

IP20  
E27  
1 Ad.




**GOLD CASE**  
YL-6341 **105,00 \$**

IP20  
E27  
1 Ad.


**SILVER CASE**  
YL-N-344 **68,00 \$**

IP20  
E27  
1 Ad.






**BRONZE CASE**  
YL-1036 **61,00 \$**

IP20  
E27  
1 Ad.

**BLACK CASE**  
YL-3821 **64,00 \$**

IP20  
E27  
1 Ad.







[www.noas.com.tr](http://www.noas.com.tr)